


Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV050421\
Data File : VV021271.D
Acq On : 04 May 2021 15:15
Operator : SY/MD
Sample : M2232-09ME
Misc : 5.00g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG5B2ME

Manual Integrations
APPROVED

MMDadoda
5/6/2021 11:30:33 AM

Quant Time: May 05 01:26:03 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM050321WMA.M
Quant Title : VOC Analysis
QLast Update : Wed May 05 01:23:25 2021
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV050421\
Data File : VV021271.D
Acq On : 04 May 2021 15:15
Operator : SY/MD
Sample : M2232-09ME
Misc : 5.00g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG5B2ME

Manual Integrations
APPROVED

MMDadoda
5/6/2021 11:30:33 AM

Quant Time: May 05 01:26:03 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM050321WMA.M
Quant Title : VOC Analysis
QLast Update : Wed May 05 01:23:25 2021
Response via : Initial Calibration



(21) 2-Butanone-d5 (S)

4.127min (+ 0.235) 0.82 ug/L

response 2187

Ion	Exp%	Act%
46.00	100.00	100.00
77.00	25.60	20.12
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV050421\
 Data File : VV021271.D
 Acq On : 04 May 2021 15:15
 Operator : SY/MD
 Sample : M2232-09ME
 Misc : 5.00g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG5B2ME

Manual Integrations
 APPROVED

MMDadoda
 5/6/2021 11:30:33 AM

Quant Time: May 05 01:26:03 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM050321WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed May 05 01:23:25 2021
 Response via : Initial Calibration



TIC: VV021271.D\data.ms

(21) 2-Butanone-d5 (S)

3.921min (+ 0.029) 62.44 ug/L m

response 166332

Ion	Exp%	Act%
46.00	100.00	100.00
77.00	25.60	0.26#
0.00	0.00	0.00
0.00	0.00	0.00

MD
5/10/21

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW050421\
 Data File : VW021271.D
 Acq On : 04 May 2021 15:15
 Operator : SY/MD
 Sample : M2232-09ME
 Misc : 5.00g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG5B2ME

Manual Integrations
 APPROVED

MMDadoda
 5/6/2021 11:30:33 AM

Quant Time: May 05 01:26:03 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM050321WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed May 05 01:23:25 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	748402	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.860	117	744234	50.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.259	152	374251	50.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	112364	33.85	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	67.70%		
7) Chloroethane-d5	1.568	69	79006	26.63	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	53.26%#		
11) 1,1-Dichloroethene-d2	2.092	63	284483	30.72	ug/L	-0.02
Spiked Amount 50.000	Range 60 - 125		Recovery =	61.44%		
21) 2-Butanone-d5	3.921	46	166332m	62.44	ug/L	0.03
Spiked Amount 100.000	Range 40 - 130		Recovery =	62.44%		
24) Chloroform-d	4.352	84	415785	39.35	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	78.70%		
26) 1,2-Dichloroethane-d4	5.034	65	331816	41.95	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	83.90%		
32) Benzene-d6	5.050	84	710006	41.42	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	82.84%		
36) 1,2-Dichloropropane-d6	6.072	67	179032	40.66	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	81.32%		
41) Toluene-d8	7.320	98	694917	39.12	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	78.24%#		
43) trans-1,3-Dichloroprop...	7.628	79	123639	37.75	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	75.50%		
47) 2-Hexanone-d5	8.114	63	159078	78.24	ug/L	0.02
Spiked Amount 100.000	Range 45 - 130		Recovery =	78.24%		
56) 1,1,2,2-Tetrachloroeth...	10.230	84	280790	39.85	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	79.70%		
66) 1,2-Dichlorobenzene-d4	11.635	152	322428	43.72	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	87.44%		

MD
 5/10/21

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed