


Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV050421\
Data File : VV021276.D
Acq On : 04 May 2021 17:37
Operator : SY/MD
Sample : M2209-19ME 400X
Misc : 5.86g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG7F5ME

Manual Integrations
APPROVED

MMDadoda
5/6/2021 11:29:22 AM

Quant Time: May 05 01:26:53 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM050321WMA.M
Quant Title : VOC Analysis
QLast Update : Wed May 05 01:23:25 2021
Response via : Initial Calibration



MMDadoda

5/6/2021 11:29:22 AM

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV050421\
 Data File : VV021276.D
 Acq On : 04 May 2021 17:37
 Operator : SY/MD
 Sample : M2209-19ME 400X
 Misc : 5.86g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG7F5ME

Manual Integrations
 APPROVED

MMDadoda
 5/6/2021 11:29:22 AM

Quant Time: May 05 01:26:53 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM050321WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed May 05 01:23:25 2021
 Response via : Initial Calibration



TIC: VV021276.D\data.ms

(43) trans-1,3-Dichloropropene-d4 (S)

7.625min (+ 0.003) 39.53 ug/L m

response 115768

Ion	Exp%	Act%
79.00	100.00	100.00
81.00	32.90	0.24#
42.00	35.10	0.23#
0.00	0.00	0.00

MD
 5/10/21

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV050421\
Data File : VV021276.D
Acq On : 04 May 2021 17:37
Operator : SY/MD
Sample : M2209-19ME 400X
Misc : 5.86g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG7F5ME

Manual Integrations
APPROVED

MMDadoda
5/6/2021 11:29:22 AM

Quant Time: May 05 01:26:53 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM050321WMA.M
Quant Title : VOC Analysis
QLast Update : Wed May 05 01:23:25 2021
Response via : Initial Calibration



TIC: VV021276.D\data.ms

(43) trans-1,3-Dichloropropene-d4 (S)

7.741min (+ 0.119) 0.26 ug/L

response 758

Ion	Exp%	Act%
79.00	100.00	100.00
81.00	32.90	36.81
42.00	35.10	35.09
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW050421\
 Data File : VW021276.D
 Acq On : 04 May 2021 17:37
 Operator : SY/MD
 Sample : M2209-19ME 400X
 Misc : 5.86g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG7F5ME

Manual Integrations
 APPROVED

MMDadoda
 5/6/2021 11:29:22 AM

Quant Time: May 05 01:26:53 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM050321WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed May 05 01:23:25 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	5.622	114	687429	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.857	117	665538	50.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.255	152	325795	50.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	103749	34.02	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	68.04%		
7) Chloroethane-d5	1.568	69	103751	38.07	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	76.14%		
11) 1,1-Dichloroethene-d2	2.108	63	216802	25.49	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	50.98%#		
21) 2-Butanone-d5	3.902	46	214410	87.62	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	87.62%		
24) Chloroform-d	4.352	84	376418	38.78	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	77.56%		
26) 1,2-Dichloroethane-d4	5.037	65	311580	42.89	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	85.78%		
32) Benzene-d6	5.053	84	629717	41.08	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	82.16%		
36) 1,2-Dichloropropane-d6	6.076	67	169483	43.05	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	86.10%		
41) Toluene-d8	7.320	98	637856	40.16	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	80.32%		
43) trans-1,3-Dichloroprop...	7.625	79	115768m	39.53	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	79.06%		
47) 2-Hexanone-d5	8.095	63	155763	85.67	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	85.67%		
56) 1,1,2,2-Tetrachloroeth...	10.220	84	258000	40.95	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	81.90%		
66) 1,2-Dichlorobenzene-d4	11.632	152	292493	45.56	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	91.12%		
Target Compounds						
46) Tetrachloroethene	7.982	164	21037	4.47	ug/L	91

MMDadoda

5/6/2021 11:29:22 AM

MD
 5/10/21

(#) = qualifier out of range (m) = manual integration (+) = signals summed