

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV050619\
 Data File : VV010674.D
 Acq On : 06 May 2019 13:14
 Operator : SY/MD
 Sample : VV0506SBL01
 Misc : 5.00G/10ML/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK80

Quant Time: May 07 04:10:19 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM050219S.M
 Quant Title : VOC Analysis
 QLast Update : Tue May 07 04:01:38 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	213498	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	202380	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	97405	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	43752	16.19	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	64.76%
7) Chloroethane-d5	1.57	69	29958	15.83	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	63.32%
10) 1,1-Dichloroethene-d2	2.12	63	61853	13.05	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	52.20%
20) 2-Butanone-d5	3.93	46	33753	41.04	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	82.08%
24) Chloroform-d	4.40	84	106050	19.23	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	76.92%
26) 1,2-Dichloroethane-d4	5.08	65	62692	19.84	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	79.36%
29) Benzene-d6	5.10	84	230443	21.97	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	87.88%
33) 1,2-Dichloropropane-d6	6.12	67	70941	22.08	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	88.32%
37) Toluene-d8	7.36	98	222481	22.08	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.32%
38) trans-1,3-Dichloropropene-	7.66	79	28912	21.77	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	87.08%
39) 2-Hexanone-d5	8.13	63	28650	50.09	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	100.18%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	64671	22.34	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	89.36%
61) 1,2-Dichlorobenzene-d4	11.67	152	87741	23.41	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	93.64%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV050619\
Data File : VV010674.D
Acq On : 06 May 2019 13:14
Operator : SY/MD
Sample : VV0506SBL01
Misc : 5.00G/10ML/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK80

Quant Time: May 07 04:10:19 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM050219S.M
Quant Title : VOC Analysis
QLast Update : Tue May 07 04:01:38 2019
Response via : Initial Calibration

