

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV050719\  
 Data File : VV010706.D  
 Acq On : 07 May 2019 22:10  
 Operator : SY/MD  
 Sample : K2633-15  
 Misc : 5.03G/10ML/MSVOA V/SOIL  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_V  
 ClientSampleId :  
 GAJA7

Quant Time: May 08 04:37:25 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_V\METHOD\SOM2VLM050719S.M  
 Quant Title : VOC Analysis  
 QLast Update : Wed May 08 03:02:12 2019  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Difluorobenzene     | 5.66  | 114  | 97668    | 25.00 | ug/L  | 0.00     |
| 28) Chlorobenzene-d5       | 8.90  | 117  | 102136   | 25.00 | ug/L  | 0.00     |
| 60) 1,4-Dichlorobenzene-d4 | 11.30 | 152  | 42728    | 25.00 | ug/L  | 0.00     |

## System Monitoring Compounds

|                                |        |       |          |          |      |         |
|--------------------------------|--------|-------|----------|----------|------|---------|
| 4) Vinyl Chloride-d3           | 1.32   | 65    | 22688    | 14.95    | ug/L | 0.00    |
| Spiked Amount                  | 25.000 | Range | 30 - 150 | Recovery | =    | 59.80%  |
| 7) Chloroethane-d5             | 1.57   | 69    | 20648    | 16.54    | ug/L | 0.00    |
| Spiked Amount                  | 25.000 | Range | 30 - 150 | Recovery | =    | 66.16%  |
| 10) 1,1-Dichloroethene-d2      | 2.12   | 63    | 35131    | 10.67    | ug/L | 0.00    |
| Spiked Amount                  | 25.000 | Range | 45 - 110 | Recovery | =    | 42.68%# |
| 20) 2-Butanone-d5              | 3.94   | 46    | 22299    | 48.98    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 20 - 135 | Recovery | =    | 97.96%  |
| 24) Chloroform-d               | 4.40   | 84    | 52463    | 19.70    | ug/L | 0.00    |
| Spiked Amount                  | 25.000 | Range | 40 - 150 | Recovery | =    | 78.80%  |
| 26) 1,2-Dichloroethane-d4      | 5.08   | 65    | 36164    | 21.75    | ug/L | 0.00    |
| Spiked Amount                  | 25.000 | Range | 70 - 130 | Recovery | =    | 87.00%  |
| 29) Benzene-d6                 | 5.10   | 84    | 100738   | 18.74    | ug/L | 0.00    |
| Spiked Amount                  | 25.000 | Range | 20 - 135 | Recovery | =    | 74.96%  |
| 33) 1,2-Dichloropropane-d6     | 6.12   | 67    | 34662    | 20.23    | ug/L | 0.00    |
| Spiked Amount                  | 25.000 | Range | 70 - 120 | Recovery | =    | 80.92%  |
| 37) Toluene-d8                 | 7.36   | 98    | 89786    | 17.44    | ug/L | 0.00    |
| Spiked Amount                  | 25.000 | Range | 30 - 130 | Recovery | =    | 69.76%  |
| 38) trans-1,3-Dichloropropene- | 7.66   | 79    | 12683    | 16.24    | ug/L | 0.00    |
| Spiked Amount                  | 25.000 | Range | 30 - 135 | Recovery | =    | 64.96%  |
| 39) 2-Hexanone-d5              | 8.13   | 63    | 16872    | 47.07    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 20 - 135 | Recovery | =    | 94.14%  |
| 48) 1,1,2,2-Tetrachloroethane- | 10.26  | 84    | 33342    | 20.71    | ug/L | 0.00    |
| Spiked Amount                  | 25.000 | Range | 45 - 120 | Recovery | =    | 82.84%  |
| 61) 1,2-Dichlorobenzene-d4     | 11.67  | 152   | 33976    | 20.53    | ug/L | 0.00    |
| Spiked Amount                  | 25.000 | Range | 75 - 120 | Recovery | =    | 82.12%  |

| Target Compounds | Ovalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV050719\  
Data File : VV010706.D  
Acq On : 07 May 2019 22:10  
Operator : SY/MD  
Sample : K2633-15  
Misc : 5.03G/10ML/MSVOA V/SOIL  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
GAJA7

Quant Time: May 08 04:37:25 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_V\METHOD\SOM2VLM050719S.M  
Quant Title : VOC Analysis  
QLast Update : Wed May 08 03:02:12 2019  
Response via : Initial Calibration

