

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV050719\
 Data File : VV010753.D
 Acq On : 09 May 2019 06:16
 Operator : SY/MD
 Sample : K2693-03
 Misc : 4.52G/10ML/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFH63

Quant Time: May 09 08:22:12 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM050719S.M
 Quant Title : VOC Analysis
 QLast Update : Thu May 09 04:43:30 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	75424	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	63199	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	15394	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	21889	18.68	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	74.72%
7) Chloroethane-d5	1.56	69	21779	22.59	ug/L	-0.01
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.36%
10) 1,1-Dichloroethene-d2	2.12	63	39682	15.61	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	62.44%
20) 2-Butanone-d5	3.93	46	9932	28.25	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	56.50%
24) Chloroform-d	4.39	84	48524	23.60	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	94.40%
26) 1,2-Dichloroethane-d4	5.07	65	34212	26.64	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	106.56%
29) Benzene-d6	5.09	84	92618	27.84	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	111.36%
33) 1,2-Dichloropropane-d6	6.11	67	30772	29.03	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	116.12%
37) Toluene-d8	7.36	98	75459	23.69	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	94.76%
38) trans-1,3-Dichloropropene-	7.66	79	9216	19.07	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	76.28%
39) 2-Hexanone-d5	8.13	63	6396	28.84	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	57.68%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	22370	22.46	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	89.84%
61) 1,2-Dichlorobenzene-d4	11.67	152	13932	23.37	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	93.48%

Target Compounds					Ovalue
13) Acetone	2.19	43	3467	6.369 ug/L	95
16) Methylene chloride	2.53	84	3753	3.218 ug/L	91
44) Toluene	7.43	91	4054	0.962 ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV050719\
Data File : VV010753.D
Acq On : 09 May 2019 06:16
Operator : SY/MD
Sample : K2693-03
Misc : 4.52G/10ML/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFH63

Quant Time: May 09 08:22:12 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM050719S.M
Quant Title : VOC Analysis
QLast Update : Thu May 09 04:43:30 2019
Response via : Initial Calibration

