

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV050719\
Quantitation Report (QT Reviewed)


Data File : VV010722.D
Acq On : 08 May 2019 10:35
Operator : SY/MD
Sample : K2690-11
Misc : 4.87G/10ML/MSVOA_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
Client Sampled :
A5157

Quant Time: May 09 02:45:47 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM050719S.M
Quant Title : VOC Analysis
QLast Update : Thu May 09 02:24:26 2019
Response via : Initial Calibration

Manual Integrations
APPROVED

MMDadoda
5/13/2019 3:46:18 AM



Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV050719\
Quantitation Report (Qedit)


Data File : VV010722.D
Acq On : 08 May 2019 10:35
Operator : SY/MD
Sample : K2690-11
Misc : 4.87G/10ML/MSVOA_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A5157

Quant Time: May 09 02:27:44 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM050719S.M
Quant Title : VOC Analysis
QLast Update : Thu May 09 02:24:26 2019
Response via : Initial Calibration

Manual Integrations
APPROVED

MMDadoda
5/13/2019 3:46:18 AM



(22) cis-1,2-Dichloroethene (T)

3.949min (-0.010) 0.68ug/L

response 1134

Ion	Exp%	Act%
96.00	100	100
61.00	134.20	113.19
98.00	66.50	63.78
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV050719\
Quantitation Report (Qedit)


Data File : VV010722.D
Acq On : 08 May 2019 10:35
Operator : SY/MD
Sample : K2690-11
Misc : 4.87G/10ML/MSVOA_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A5157

Quant Time: May 09 02:27:44 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM050719S.M
Quant Title : VOC Analysis
QLast Update : Thu May 09 02:24:26 2019
Response via : Initial Calibration

Manual Integrations
APPROVED

MMDadoda
5/13/2019 3:46:18 AM



(22) cis-1,2-Dichloroethene (T)

3.958min (-0.000) 1.56ug/L m

response 2603

Ion	Exp%	Act%
96.00	100	100
61.00	134.20	116.35
98.00	66.50	57.24
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV050719\
Quantitation Report (QT Reviewed)

Data File : VV010722.D
Acq On : 08 May 2019 10:35
Operator : SY/MD
Sample : K2690-11
Misc : 4.87G/10ML/MSVOA_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
Client Sample ID :
A5157

Manual Integrations
APPROVED

MMDadoda
5/13/2019 3:46:18 AM

Quant Time: May 09 02:45:47 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM050719S.M
Quant Title : VOC Analysis
QLast Update : Thu May 09 02:24:26 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	102827	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	90817	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	28668	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	25894	16.21	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	64.84%
7) Chloroethane-d5	1.56	69	26246	19.97	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.88%
10) 1,1-Dichloroethene-d2	2.12	63	44823	12.94	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	51.76%
20) 2-Butanone-d5	3.93	46	23626	49.29	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.58%
24) Chloroform-d	4.40	84	63956	22.81	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.24%
26) 1,2-Dichloroethane-d4	5.08	65	42640	24.35	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	97.40%
29) Benzene-d6	5.09	84	115625	24.19	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	96.76%
33) 1,2-Dichloropropane-d6	6.11	67	41156	27.02	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	108.08%
37) Toluene-d8	7.36	98	92855	20.28	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	81.12%
38) trans-1,3-Dichloropropene-	7.66	79	13944	20.08	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	80.32%
39) 2-Hexanone-d5	8.13	63	17320	54.34	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	108.68%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	33198	23.19	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	92.76%
61) 1,2-Dichlorobenzene-d4	11.67	152	24366	21.95	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	87.80%

Target Compounds

				Qvalue	
13) Acetone	2.18	43	4286	5.776	ug/L 97
16) Methylene chloride	2.53	84	2605	1.638	ug/L 94
22) cis-1,2-Dichloroethene	3.96	96	2603m	1.557	ug/L

5/10/19 Sy

(#) = qualifier out of range (m) = manual integration (+) = signals summed