

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV050719\
 Data File : VV010744.D
 Acq On : 09 May 2019 01:47
 Operator : SY/MD
 Sample : VV0507SBL04
 Misc : 5.00G/10ML/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK84

Quant Time: May 09 04:55:57 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM050719S.M
 Quant Title : VOC Analysis
 QLast Update : Thu May 09 04:43:30 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	91369	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	94490	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	40593	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	31875	22.46	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	89.84%
7) Chloroethane-d5	1.57	69	29319	25.10	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	100.40%
10) 1,1-Dichloroethene-d2	2.12	63	53979	17.53	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	70.12%
20) 2-Butanone-d5	3.93	46	18959	44.51	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.02%
24) Chloroform-d	4.40	84	61282	24.60	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	98.40%
26) 1,2-Dichloroethane-d4	5.08	65	40305	25.91	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	103.64%
29) Benzene-d6	5.09	84	122797	24.69	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	98.76%
33) 1,2-Dichloropropane-d6	6.11	67	40343	25.46	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	101.84%
37) Toluene-d8	7.36	98	117028	24.57	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	98.28%
38) trans-1,3-Dichloropropene-	7.66	79	15405	21.32	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.28%
39) 2-Hexanone-d5	8.13	63	13563	40.90	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	81.80%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	32162	21.59	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	86.36%
61) 1,2-Dichlorobenzene-d4	11.67	152	39641	25.21	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	100.84%


Target Compounds					Ovalue
16) Methylene chloride	2.53	84	4518	3.198 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV050719\
Data File : VV010744.D
Acq On : 09 May 2019 01:47
Operator : SY/MD
Sample : VV0507SBL04
Misc : 5.00G/10ML/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK84

Quant Time: May 09 04:55:57 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM050719S.M
Quant Title : VOC Analysis
QLast Update : Thu May 09 04:43:30 2019
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 3.198 ug/L
 RT: 2.53 min Scan# 448
 Delta R.T. -0.00 min
 Lab File: VV010744.D
 Acq: 09 May 2019 01:47

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK84

Tot Ion: 84 Resp: 4518
 Ion Ratio Lower Upper
 84 100
 49 127.0 92.9 172.5
 86 63.3 46.5 86.5

