

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV050820\  
 Data File : VV015960.D  
 Acq On : 08 May 2020 13:12  
 Operator : SY/MD  
 Sample : L2520-18  
 Misc : 25.0mL/MSVOA V/WATER  
 ALS Vial : 11 Sample Multiplier: 1

Instrument :  
 MSVOA\_V  
 ClientSampleId :  
 H41W5

Quant Time: May 09 02:01:40 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVTR050720WMA.M  
 Quant Title : TRACE VOA SOM01.0  
 QLast Update : Sat May 09 00:44:25 2020  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc | Units | Dev(Min) |
|----------------------------|-------|------|----------|------|-------|----------|
| 1) 1,4-Difluorobenzene     | 5.64  | 114  | 149545   | 5.00 | ug/L  | 0.00     |
| 28) Chlorobenzene-d5       | 8.87  | 117  | 145371   | 5.00 | ug/L  | 0.00     |
| 61) 1,4-Dichlorobenzene-d4 | 11.27 | 152  | 68273    | 5.00 | ug/L  | 0.00     |

## System Monitoring Compounds

|                                |        |       |          |          |      |         |
|--------------------------------|--------|-------|----------|----------|------|---------|
| 4) Vinyl Chloride-d3           | 1.32   | 65    | 34920    | 4.30     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 40 - 130 | Recovery | =    | 86.00%  |
| 7) Chloroethane-d5             | 1.58   | 69    | 35282    | 4.59     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 130 | Recovery | =    | 91.80%  |
| 11) 1,1-Dichloroethene-d2      | 2.12   | 63    | 57522    | 3.30     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 125 | Recovery | =    | 66.00%  |
| 20) 2-Butanone-d5              | 3.92   | 46    | 112807   | 48.75    | ug/L | -0.01   |
| Spiked Amount                  | 50.000 | Range | 40 - 130 | Recovery | =    | 97.50%  |
| 24) Chloroform-d               | 4.38   | 84    | 86230    | 4.86     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 97.20%  |
| 26) 1,2-Dichloroethane-d4      | 5.06   | 65    | 48806    | 4.80     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 96.00%  |
| 32) Benzene-d6                 | 5.08   | 84    | 164040   | 4.74     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 94.80%  |
| 36) 1,2-Dichloropropane-d6     | 6.10   | 67    | 52239    | 4.95     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 140 | Recovery | =    | 99.00%  |
| 41) Toluene-d8                 | 7.34   | 98    | 148896   | 4.55     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 91.00%  |
| 45) trans-1,3-Dichloropropene- | 7.65   | 79    | 18049    | 4.36     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 55 - 130 | Recovery | =    | 87.20%  |
| 48) 2-Hexanone-d5              | 8.11   | 63    | 82660    | 45.41    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 45 - 130 | Recovery | =    | 90.82%  |
| 59) 1,1,2,2-Tetrachloroethane- | 10.24  | 84    | 35080    | 4.72     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 120 | Recovery | =    | 94.40%  |
| 65) 1,2-Dichlorobenzene-d4     | 11.65  | 152   | 56536    | 5.10     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 80 - 120 | Recovery | =    | 102.00% |

| Target Compounds |      |    |      |            | Ovalue |
|------------------|------|----|------|------------|--------|
| 13) Acetone      | 2.20 | 43 | 6881 | 4.507 ug/L | # 62   |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV050820\  
Data File : VV015960.D  
Acq On : 08 May 2020 13:12  
Operator : SY/MD  
Sample : L2520-18  
Misc : 25.0mL/MSVOA V/WATER  
ALS Vial : 11 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
H41W5

Quant Time: May 09 02:01:40 2020  
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVTR050720WMA.M  
Quant Title : TRACE VOA SOM01.0  
QLast Update : Sat May 09 00:44:25 2020  
Response via : Initial Calibration

