


Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV050820\
Data File : VV015964.D
Acq On : 08 May 2020 14:46
Operator : SY/MD
Sample : L2520-03
Misc : 25.0mL/MSVOA V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
H41X8

Manual Integrations
APPROVED

apatel
5/11/2020 12:51:24 PM

Quant Time: May 09 02:43:05 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR050720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat May 09 00:44:25 2020
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV050820\
 Data File : VV015964.D
 Acq On : 08 May 2020 14:46
 Operator : SY/MD
 Sample : L2520-03
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 H41X8

Manual Integrations
 APPROVED

apatel
 5/11/2020 12:51:24 PM

Quant Time: May 09 00:48:37 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR050720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat May 09 00:44:25 2020
 Response via : Initial Calibration



TIC: VV015964.D

(13) Acetone (T)

2.209min (-0.019) 0.85ug/L

response 1264

Ion	Exp%	Act%
43.05	100	100
58.05	15.40	27.06
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV050820\
 Data File : VV015964.D
 Acq On : 08 May 2020 14:46
 Operator : SY/MD
 Sample : L2520-03
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 H41X8

Manual Integrations
 APPROVED

apatel
 5/11/2020 12:51:24 PM

Quant Time: May 09 00:48:37 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR050720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat May 09 00:44:25 2020
 Response via : Initial Calibration



(13) Acetone (T)

2.222min (-0.006) 2.22ug/L m

response 3315

Ion	Exp%	Act%
43.05	100	100
58.05	15.40	10.32
0.00	0.00	0.00
0.00	0.00	0.00

7 mg
 5/11/20

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV050820\
 Data File : VV015964.D
 Acq On : 08 May 2020 14:46
 Operator : SY/MD
 Sample : L2520-03
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 H41X8

Manual Integrations
 APPROVED

apatel
 5/11/2020 12:51:24 PM

Quant Time: May 09 02:43:05 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR050720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat May 09 00:44:25 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	146282	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	144303	5.00	ug/L	0.00
61) 1,4-Dichlorobenzene-d4	11.27	152	68040	5.00	ug/L	0.00

System Monitoring Compounds						
4) Vinyl Chloride-d3	1.32	65	34632	4.36	ug/L	0.00
Spiked Amount 5.000	Range	40 - 130	Recovery	=	87.20%	
7) Chloroethane-d5	1.58	69	34646	4.61	ug/L	0.00
Spiked Amount 5.000	Range	65 - 130	Recovery	=	92.20%	
11) 1,1-Dichloroethene-d2	2.12	63	58010	3.40	ug/L	0.00
Spiked Amount 5.000	Range	60 - 125	Recovery	=	68.00%	
20) 2-Butanone-d5	3.93	46	117584	51.94	ug/L	0.00
Spiked Amount 50.000	Range	40 - 130	Recovery	=	103.88%	
24) Chloroform-d	4.38	84	82698	4.77	ug/L	0.00
Spiked Amount 5.000	Range	70 - 125	Recovery	=	95.40%	
26) 1,2-Dichloroethane-d4	5.06	65	49213	4.95	ug/L	0.00
Spiked Amount 5.000	Range	70 - 130	Recovery	=	99.00%	
32) Benzene-d6	5.08	84	165687	4.83	ug/L	0.00
Spiked Amount 5.000	Range	70 - 125	Recovery	=	96.60%	
36) 1,2-Dichloropropane-d6	6.10	67	52859	5.04	ug/L	0.00
Spiked Amount 5.000	Range	60 - 140	Recovery	=	100.80%	
41) Toluene-d8	7.34	98	149153	4.59	ug/L	0.00
Spiked Amount 5.000	Range	70 - 130	Recovery	=	91.80%	
45) trans-1,3-Dichloropropene-	7.64	79	18043	4.39	ug/L	0.00
Spiked Amount 5.000	Range	55 - 130	Recovery	=	87.80%	
48) 2-Hexanone-d5	8.12	63	85201	47.15	ug/L	0.00
Spiked Amount 50.000	Range	45 - 130	Recovery	=	94.30%	
59) 1,1,2,2-Tetrachloroethane-	10.24	84	37210	5.05	ug/L	0.00
Spiked Amount 5.000	Range	65 - 120	Recovery	=	101.00%	
65) 1,2-Dichlorobenzene-d4	11.65	152	57857	5.24	ug/L	0.00
Spiked Amount 5.000	Range	80 - 120	Recovery	=	104.80%	

Target Compounds					Ovalue	
2) Dichlorodifluoromethane	1.14	85	5012	0.447	ug/L	98
13) Acetone	2.22	43	3315m	2.220	ug/L	91
25) Chloroform	4.41	83	6460	0.342	ug/L	94
34) Trichloroethene	5.94	95	2650	0.256	ug/L	96
49) Tetrachloroethene	8.00	164	1329	0.184	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed