

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV050820\
 Data File : VV015953.D
 Acq On : 08 May 2020 10:29
 Operator : SY/MD
 Sample : VV0508WBL01
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK58

Quant Time: May 09 01:03:15 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR050720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat May 09 00:44:25 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	147128	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	144404	5.00	ug/L	0.00
61) 1,4-Dichlorobenzene-d4	11.27	152	67464	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	36609	4.59	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	91.80%
7) Chloroethane-d5	1.58	69	35748	4.73	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	94.60%
11) 1,1-Dichloroethene-d2	2.12	63	59729	3.48	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	69.60%
20) 2-Butanone-d5	3.95	46	110477	48.52	ug/L	0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	97.04%
24) Chloroform-d	4.38	84	83583	4.79	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.80%
26) 1,2-Dichloroethane-d4	5.06	65	50815	5.08	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.60%
32) Benzene-d6	5.08	84	167044	4.86	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.20%
36) 1,2-Dichloropropane-d6	6.10	67	53565	5.11	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	102.20%
41) Toluene-d8	7.34	98	148367	4.57	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.40%
45) trans-1,3-Dichloropropene-	7.65	79	18941	4.60	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	92.00%
48) 2-Hexanone-d5	8.12	63	88164	48.75	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	97.50%
59) 1,1,2,2-Tetrachloroethane-	10.24	84	37697	5.11	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	102.20%
65) 1,2-Dichlorobenzene-d4	11.65	152	55948	5.11	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	102.20%


Target Compounds					Ovalue
25) Chloroform	4.41	83	6137	0.323 ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV050820\
Data File : VV015953.D
Acq On : 08 May 2020 10:29
Operator : SY/MD
Sample : VV0508WBL01
Misc : 25.0mL/MSVOA V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK58

Quant Time: May 09 01:03:15 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR050720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat May 09 00:44:25 2020
Response via : Initial Calibration





#25

Chloroform

Concen: 0.323 ug/L

RT: 4.41 min Scan# 1032

Delta R.T. 0.01 min

Lab File: VV015953.D

Acq: 08 May 2020 10:29

Instrument :

MSVOA_V

ClientSampleId :

VBLK58

Tot Ion: 83 Resp: 6137

Ion Ratio Lower Upper

83 100

85 71.6 45.7 84.9

