

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV051820\
 Data File : VV016102.D
 Acq On : 18 May 2020 15:28
 Operator : SY/MD
 Sample : L2655-01
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0F19

Quant Time: May 19 05:37:22 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM051820WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue May 19 04:04:01 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	312581	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	306561	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	142822	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	106563	47.27	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	94.54%
7) Chloroethane-d5	1.58	69	95961	47.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.98%
11) 1,1-Dichloroethene-d2	2.13	63	156725	36.77	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.54%
21) 2-Butanone-d5	3.94	46	141304	103.93	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	103.93%
24) Chloroform-d	4.38	84	199538	46.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.48%
26) 1,2-Dichloroethane-d4	5.06	65	148822	50.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.32%
32) Benzene-d6	5.08	84	413649	49.21	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.42%
36) 1,2-Dichloropropane-d6	6.10	67	132520	49.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.66%
41) Toluene-d8	7.34	98	377886	48.17	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.34%
43) trans-1,3-Dichloropropene-	7.64	79	62148	46.60	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.20%
47) 2-Hexanone-d5	8.12	63	91954	106.20	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	106.20%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	160130	47.85	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.70%
64) 1,2-Dichlorobenzene-d4	11.65	152	143274	50.72	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.44%

Target Compounds					Ovalue
25) Chloroform	4.41	83	17462	4.010 ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV051820\
Data File : VV016102.D
Acq On : 18 May 2020 15:28
Operator : SY/MD
Sample : L2655-01
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0F19

Quant Time: May 19 05:37:22 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM051820WMA.M
Quant Title : VOC Analysis
QLast Update : Tue May 19 04:04:01 2020
Response via : Initial Calibration

