

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV051823\
 Data File : VV031086.D
 Acq On : 18 May 2023 10:31
 Operator : SY/MD
 Sample : VV0518WBL01
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK340

Quant Time: May 19 05:35:16 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR042823WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri May 19 05:32:32 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.542	114	111531	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.792	117	111346	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.194	152	54695	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.281	65	32949	3.586	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	71.800%	
7) Chloroethane-d5	1.539	69	34617	4.618	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	92.400%	
11) 1,1-Dichloroethene-d2	2.066	65	18301	3.763	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	75.200%	
20) 2-Butanone-d5	3.818	46	91898	56.397	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	112.800%	
24) Chloroform-d	4.259	84	90997	4.983	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	99.600%	
26) 1,2-Dichloroethane-d4	4.953	65	49290	5.309	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	106.200%	
32) Benzene-d6	4.969	84	149006	4.565	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	91.400%	
36) 1,2-Dichloropropane-d6	5.995	67	46275	4.876	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	97.600%	
41) Toluene-d8	7.249	98	124893	4.018	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	80.400%	
43) trans-1,3-Dichloroprop...	7.561	79	14353	4.035	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	80.600%	
46) 2-Hexanone-d5	8.034	63	62038	49.773	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	99.540%	
56) 1,1,2,2-Tetrachloroeth...	10.162	84	34905	5.074	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	101.400%	
66) 1,2-Dichlorobenzene-d4	11.567	152	51691	5.070	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	101.400%	
Target Compounds						Qvalue
16) Methylene chloride	2.455	84	2294	0.270	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV051823\
Data File : VV031086.D
Acq On : 18 May 2023 10:31
Operator : SY/MD
Sample : VV0518WBL01
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK340

Quant Time: May 19 05:35:16 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR042823WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri May 19 05:32:32 2023
Response via : Initial Calibration

