

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV052020\  
 Data File : VV016139.D  
 Acq On : 20 May 2020 18:11  
 Operator : SY/MD  
 Sample : L2725-10  
 Misc : 25.0mL/MSVOA V/WATER  
 ALS Vial : 18 Sample Multiplier: 1

Instrument :  
 MSVOA\_V  
 ClientSampleId :  
 F9B20

Quant Time: May 21 05:12:22 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVTR050720WMA.M  
 Quant Title : TRACE VOA SOM01.0  
 QLast Update : Thu May 21 01:36:12 2020  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc | Units | Dev(Min) |
|----------------------------|-------|------|----------|------|-------|----------|
| 1) 1,4-Difluorobenzene     | 5.64  | 114  | 140186   | 5.00 | ug/L  | 0.00     |
| 28) Chlorobenzene-d5       | 8.87  | 117  | 139604   | 5.00 | ug/L  | 0.00     |
| 61) 1,4-Dichlorobenzene-d4 | 11.27 | 152  | 65236    | 5.00 | ug/L  | 0.00     |

## System Monitoring Compounds

|                                |        |       |          |          |      |         |
|--------------------------------|--------|-------|----------|----------|------|---------|
| 4) Vinyl Chloride-d3           | 1.32   | 65    | 33669    | 4.43     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 40 - 130 | Recovery | =    | 88.60%  |
| 7) Chloroethane-d5             | 1.58   | 69    | 37652    | 5.22     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 130 | Recovery | =    | 104.40% |
| 11) 1,1-Dichloroethene-d2      | 2.13   | 63    | 59736    | 3.65     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 125 | Recovery | =    | 73.00%  |
| 20) 2-Butanone-d5              | 3.93   | 46    | 133142   | 61.37    | ug/L | -0.06   |
| Spiked Amount                  | 50.000 | Range | 40 - 130 | Recovery | =    | 122.74% |
| 24) Chloroform-d               | 4.38   | 84    | 92149    | 5.54     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 110.80% |
| 26) 1,2-Dichloroethane-d4      | 5.06   | 65    | 51055    | 5.36     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 107.20% |
| 32) Benzene-d6                 | 5.08   | 84    | 169513   | 5.10     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 102.00% |
| 36) 1,2-Dichloropropane-d6     | 6.10   | 67    | 54810    | 5.41     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 140 | Recovery | =    | 108.20% |
| 41) Toluene-d8                 | 7.34   | 98    | 148801   | 4.74     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 94.80%  |
| 45) trans-1,3-Dichloropropene- | 7.65   | 79    | 16748    | 4.21     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 55 - 130 | Recovery | =    | 84.20%  |
| 48) 2-Hexanone-d5              | 8.12   | 63    | 105464   | 60.33    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 45 - 130 | Recovery | =    | 120.66% |
| 59) 1,1,2,2-Tetrachloroethane- | 10.24  | 84    | 41609    | 5.83     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 120 | Recovery | =    | 116.60% |
| 65) 1,2-Dichlorobenzene-d4     | 11.65  | 152   | 59164    | 5.59     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 80 - 120 | Recovery | =    | 111.80% |

| Target Compounds |      |    |      |            | Ovalue |
|------------------|------|----|------|------------|--------|
| 13) Acetone      | 2.23 | 43 | 3772 | 2.636 ug/L | 96     |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV052020\  
Data File : VV016139.D  
Acq On : 20 May 2020 18:11  
Operator : SY/MD  
Sample : L2725-10  
Misc : 25.0mL/MSVOA V/WATER  
ALS Vial : 18 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
F9B20

Quant Time: May 21 05:12:22 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVTR050720WMA.M  
Quant Title : TRACE VOA SOM01.0  
QLast Update : Thu May 21 01:36:12 2020  
Response via : Initial Calibration

