

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV052219\
 Data File : VV011012.D
 Acq On : 22 May 2019 12:24
 Operator : SY/MD
 Sample : K2853-04
 Misc : 5.00G/10ML/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK01

Quant Time: May 23 08:33:34 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM052019S.M
 Quant Title : VOC Analysis
 QLast Update : Thu May 23 08:00:26 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	143895	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	136986	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	58140	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	37334	22.76	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.04%
7) Chloroethane-d5	1.57	69	27105	24.40	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	97.60%
10) 1,1-Dichloroethene-d2	2.12	63	56800	18.01	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	72.04%
20) 2-Butanone-d5	3.94	46	27547	48.67	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	97.34%
24) Chloroform-d	4.40	84	87604	23.50	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	94.00%
26) 1,2-Dichloroethane-d4	5.08	65	52390	23.85	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	95.40%
29) Benzene-d6	5.09	84	189432	25.33	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	101.32%
33) 1,2-Dichloropropane-d6	6.12	67	60052	25.27	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	101.08%
37) Toluene-d8	7.36	98	172754	24.85	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	99.40%
38) trans-1,3-Dichloropropene-	7.66	79	22170	22.72	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	90.88%
39) 2-Hexanone-d5	8.13	63	19435	43.85	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.70%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	55225	23.28	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	93.12%
61) 1,2-Dichlorobenzene-d4	11.67	152	62172	26.34	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	105.36%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV052219\
Data File : VV011012.D
Acq On : 22 May 2019 12:24
Operator : SY/MD
Sample : K2853-04
Misc : 5.00G/10ML/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK01

Quant Time: May 23 08:33:34 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM052019S.M
Quant Title : VOC Analysis
QLast Update : Thu May 23 08:00:26 2019
Response via : Initial Calibration

