

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV052223\
 Data File : VV031152.D
 Acq On : 22 May 2023 09:47
 Operator : SY/MD
 Sample : VV0522WBL01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK341

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM051923WMA.M
 Title : VOC Analysis

Signal : TIC: VV031152.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.281	69	75	93	rVB	133422	149934	15.01%	1.977%
2	1.535	148	154	167	rVB	116244	138830	13.90%	1.830%
3	2.066	310	319	336	rBV	261364	379951	38.05%	5.009%
4	2.439	432	435	437	rBV4	1860	1457	0.15%	0.019%
5	2.523	457	461	464	rBV5	2008	1539	0.15%	0.020%
6	2.574	475	477	480	rVB4	2306	1129	0.11%	0.015%
7	2.593	480	483	484	rBV3	1288	736	0.07%	0.010%
8	2.622	490	492	495	rVV3	1368	758	0.08%	0.010%
9	2.658	499	503	506	rVB6	1385	1019	0.10%	0.013%
10	2.680	508	510	517	rVB7	1885	1471	0.15%	0.019%
11	2.793	540	545	546	rBV4	1884	1612	0.16%	0.021%
12	2.822	551	554	557	rBV5	1712	1169	0.12%	0.015%
13	2.857	563	565	568	rVB4	1208	719	0.07%	0.009%
14	2.966	592	599	601	rBV8	2289	2428	0.24%	0.032%
15	3.014	610	614	615	rBV4	1537	1099	0.11%	0.014%
16	3.217	675	677	680	rBV4	1765	1149	0.12%	0.015%
17	3.352	715	719	722	rVB6	1701	1341	0.13%	0.018%
18	3.420	738	740	744	rVB5	1393	770	0.08%	0.010%
19	3.436	744	745	749	rVB4	1836	826	0.08%	0.011%
20	3.574	783	788	792	rBV7	1822	2044	0.20%	0.027%
21	3.593	792	794	797	rBV4	1163	819	0.08%	0.011%
22	3.796	847	857	883	rBV2	65936	179772	18.00%	2.370%
23	4.159	968	970	974	rBV4	2810	2071	0.21%	0.027%
24	4.259	987	1001	1022	rBV	167678	423793	42.44%	5.588%
25	4.455	1058	1062	1065	rBV6	1512	1159	0.12%	0.015%
26	4.587	1098	1103	1106	rBV6	1945	1797	0.18%	0.024%
27	4.603	1106	1108	1111	rBV4	1370	920	0.09%	0.012%
28	4.641	1118	1120	1122	rBV3	2606	1115	0.11%	0.015%
29	4.664	1126	1127	1129	rBV2	1636	739	0.07%	0.010%
30	4.690	1133	1135	1137	rBV3	1233	644	0.06%	0.008%
31	4.818	1174	1175	1179	rVB4	1606	703	0.07%	0.009%
32	4.841	1179	1182	1184	rVB4	1574	823	0.08%	0.011%
33	4.857	1184	1187	1189	rBV4	1652	986	0.10%	0.013%
34	4.870	1189	1191	1196	rVB6	1244	894	0.09%	0.012%
35	4.905	1199	1202	1204	rBV4	1311	899	0.09%	0.012%
36	4.966	1204	1221	1245	rBV2	374390	998623	100.00%	13.166%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV052223\
 Data File : VV031152.D
 Acq On : 22 May 2023 09:47
 Operator : SY/MD
 Sample : VV0522WBL01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK341

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM051923WMA.M
 Title : VOC Analysis

37	5.542	1388	1400	1421	rBV	285526	596807	59.76%	7.869%
38	5.995	1528	1541	1563	rBV	223459	468539	46.92%	6.177%
39	6.194	1601	1603	1605	rBV3	1969	785	0.08%	0.010%
40	6.506	1698	1700	1703	rBV3	1808	1438	0.14%	0.019%
41	6.538	1706	1710	1713	rVB5	1413	1210	0.12%	0.016%
42	6.673	1750	1752	1757	rBV6	1221	1161	0.12%	0.015%
43	6.715	1759	1765	1769	rBV8	2287	2727	0.27%	0.036%
44	6.751	1773	1776	1781	rBV6	1943	1822	0.18%	0.024%
45	6.786	1785	1787	1791	rVB5	2197	1240	0.12%	0.016%
46	6.818	1791	1797	1801	rBV9	2102	2905	0.29%	0.038%
47	6.921	1814	1829	1849	rBV	112401	214052	21.43%	2.822%
48	7.185	1905	1911	1915	rBV8	3284	4049	0.41%	0.053%
49	7.249	1919	1931	1948	rBV	411646	725743	72.67%	9.569%
50	7.558	2018	2027	2041	rBV	80251	143478	14.37%	1.892%
51	7.857	2118	2120	2123	rBV5	1457	961	0.10%	0.013%
52	8.034	2166	2175	2204	rVV	203095	425433	42.60%	5.609%
53	8.792	2397	2411	2434	rBV	447129	763458	76.45%	10.066%
54	9.046	2488	2490	2493	rBV4	1034	685	0.07%	0.009%
55	9.098	2504	2506	2510	rVB5	2349	1544	0.15%	0.020%
56	9.201	2534	2538	2541	rBV6	1563	1760	0.18%	0.023%
57	9.413	2597	2604	2605	rBV7	2031	2000	0.20%	0.026%
58	9.619	2666	2668	2673	rVB7	2186	1589	0.16%	0.021%
59	9.673	2683	2685	2687	rBV4	1374	650	0.07%	0.009%
60	9.783	2718	2719	2722	rVB3	2124	952	0.10%	0.013%
61	9.992	2782	2784	2789	rVV6	1416	1495	0.15%	0.020%
62	10.043	2796	2800	2803	rBV6	1616	1548	0.16%	0.020%
63	10.075	2807	2810	2811	rBV3	1794	823	0.08%	0.011%
64	10.159	2824	2836	2855	rBV2	314877	503168	50.39%	6.634%
65	10.390	2904	2908	2910	rBV4	1695	1510	0.15%	0.020%
66	10.439	2921	2923	2926	rVB4	1378	793	0.08%	0.010%
67	10.699	3001	3004	3008	rBV6	1661	1254	0.13%	0.017%
68	10.728	3011	3013	3014	rBV2	1625	805	0.08%	0.011%
69	11.059	3110	3116	3118	rBV6	1725	1740	0.17%	0.023%
70	11.120	3132	3135	3136	rBV3	1705	980	0.10%	0.013%
71	11.191	3146	3157	3180	rBV	419890	664693	66.56%	8.764%
72	11.500	3248	3253	3255	rBV6	1629	1711	0.17%	0.023%
73	11.567	3264	3274	3296	rVB	418867	674993	67.59%	8.899%
74	11.908	3378	3380	3383	rBV4	1652	758	0.08%	0.010%
75	11.966	3397	3398	3403	rVB5	1292	676	0.07%	0.009%
76	12.062	3426	3428	3430	rVB3	1698	652	0.07%	0.009%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV052223\
 Data File : VV031152.D
 Acq On : 22 May 2023 09:47
 Operator : SY/MD
 Sample : VV0522WBL01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK341

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM051923WMA.M
 Title : VOC Analysis

77	12.143	3451	3453	3459	rVB7	2654	2235	0.22%	0.029%
78	12.175	3459	3463	3465	rBV5	2175	1795	0.18%	0.024%
79	12.249	3484	3486	3491	rVB7	2276	1466	0.15%	0.019%
80	12.278	3491	3495	3499	rBV6	1854	1830	0.18%	0.024%
81	12.467	3550	3554	3557	rBV6	1374	1390	0.14%	0.018%
82	12.895	3685	3687	3691	rBV4	1537	1085	0.11%	0.014%
83	13.008	3718	3722	3725	rBV5	1705	1565	0.16%	0.021%
84	13.027	3725	3728	3730	rVV4	1575	843	0.08%	0.011%
85	13.213	3777	3786	3794	rBV4	3983	7666	0.77%	0.101%
86	13.246	3794	3796	3798	rVB3	1857	832	0.08%	0.011%
87	13.355	3829	3830	3834	rVB4	1811	902	0.09%	0.012%
88	13.377	3834	3837	3839	rBV4	1813	1286	0.13%	0.017%
89	13.451	3852	3860	3868	rBV2	10081	18161	1.82%	0.239%
90	13.567	3891	3896	3898	rBV6	2117	1496	0.15%	0.020%
91	13.792	3963	3966	3968	rBV3	1406	874	0.09%	0.012%
92	13.808	3968	3971	3974	rBV5	972	792	0.08%	0.010%
93	13.956	4014	4017	4019	rBV4	2002	1242	0.12%	0.016%
94	14.082	4054	4056	4057	rBV2	1915	741	0.07%	0.010%
95	14.110	4063	4065	4070	rBV6	1751	1299	0.13%	0.017%
96	14.133	4070	4072	4077	rVB5	1931	1370	0.14%	0.018%
97	14.194	4088	4091	4095	rBV6	2125	2055	0.21%	0.027%
98	14.548	4195	4201	4205	rBV9	2481	3121	0.31%	0.041%
99	14.827	4286	4288	4291	rBV3	2311	1333	0.13%	0.018%
100	14.889	4305	4307	4308	rBV3	2199	915	0.09%	0.012%

Sum of corrected areas: 7584619

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV052223\
Data File : VV031152.D
Acq On : 22 May 2023 09:47
Operator : SY/MD
Sample : VV0522WBL01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK341

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM051923WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV052223\
Data File : VV031152.D
Acq On : 22 May 2023 09:47
Operator : SY/MD
Sample : VV0522WBL01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK341

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM051923WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST0.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------