

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV052423\
 Data File : VV031226.D
 Acq On : 24 May 2023 19:33
 Operator : SY/MD
 Sample : 02865-23
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK001

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM051923WMA.M
 Title : VOC Analysis

Signal : TIC: VV031226.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.285	69	76	88	rBV	89801	99964	14.03%	1.782%
2	1.536	148	154	165	rVB	85389	102848	14.44%	1.833%
3	2.063	310	318	335	rVB	187973	276485	38.81%	4.928%
4	2.336	399	403	406	rBV6	1550	1087	0.15%	0.019%
5	2.355	406	409	413	rBV6	1567	1408	0.20%	0.025%
6	2.433	430	433	434	rBV3	1283	670	0.09%	0.012%
7	2.555	467	471	475	rVB6	2440	1850	0.26%	0.033%
8	2.577	475	478	481	rBV4	1193	686	0.10%	0.012%
9	2.690	512	513	515	rBV2	1353	705	0.10%	0.013%
10	2.886	572	574	578	rBV4	1030	756	0.11%	0.013%
11	2.941	589	591	593	rBV3	1630	693	0.10%	0.012%
12	2.989	603	606	612	rBV7	1028	1140	0.16%	0.020%
13	3.050	623	625	626	rBV2	1704	709	0.10%	0.013%
14	3.060	626	628	632	rVB6	2190	1265	0.18%	0.023%
15	3.079	632	634	635	rBV2	1279	733	0.10%	0.013%
16	3.114	644	645	648	rBV2	1030	646	0.09%	0.012%
17	3.278	690	696	698	rBV6	2181	1766	0.25%	0.031%
18	3.314	704	707	708	rBV3	1639	1173	0.16%	0.021%
19	3.384	727	729	731	rBV3	2329	972	0.14%	0.017%
20	3.487	758	761	764	rBV4	1442	1041	0.15%	0.019%
21	3.635	805	807	810	rVV4	2177	1047	0.15%	0.019%
22	3.677	817	820	823	rBV4	1404	977	0.14%	0.017%
23	3.799	849	858	880	rBV2	46826	131144	18.41%	2.338%
24	4.259	988	1001	1018	rBV	120204	290507	40.77%	5.178%
25	4.458	1061	1063	1067	rBV5	2153	1617	0.23%	0.029%
26	4.529	1081	1085	1087	rBV4	1838	1374	0.19%	0.024%
27	4.635	1115	1118	1122	rBV6	2384	1761	0.25%	0.031%
28	4.818	1172	1175	1176	rBV3	2099	1183	0.17%	0.021%
29	4.867	1188	1190	1193	rBV4	1526	1182	0.17%	0.021%
30	4.899	1196	1200	1204	rBV6	2055	2251	0.32%	0.040%
31	4.966	1205	1221	1246	rVV2	266891	712470	100.00%	12.700%
32	5.243	1305	1307	1310	rBV4	1860	1028	0.14%	0.018%
33	5.323	1329	1332	1334	rBV4	1492	813	0.11%	0.014%
34	5.449	1369	1371	1373	rBV3	1340	611	0.09%	0.011%
35	5.542	1389	1400	1425	rBV	217762	443862	62.30%	7.912%
36	5.995	1529	1541	1565	rBV2	160139	335561	47.10%	5.981%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV052423\
 Data File : VV031226.D
 Acq On : 24 May 2023 19:33
 Operator : SY/MD
 Sample : 02865-23
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK001

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM051923WMA.M
 Title : VOC Analysis

37	6.323	1640	1643	1647	rVB5	1802	1230	0.17%	0.022%
38	6.349	1647	1651	1654	rBV6	2308	2130	0.30%	0.038%
39	6.494	1690	1696	1699	rVB8	2525	2588	0.36%	0.046%
40	6.510	1699	1701	1704	rBV4	1559	706	0.10%	0.013%

41	6.715	1763	1765	1770	rBV5	1729	1355	0.19%	0.024%
42	6.873	1811	1814	1816	rBV4	1309	817	0.11%	0.015%
43	6.921	1820	1829	1844	rVV2	79414	146344	20.54%	2.609%
44	7.137	1893	1896	1899	rBV5	2493	1660	0.23%	0.030%
45	7.159	1899	1903	1904	rVV4	1840	1129	0.16%	0.020%

46	7.194	1911	1914	1917	rBV5	1584	1167	0.16%	0.021%
47	7.249	1917	1931	1947	rBV	302050	533072	74.82%	9.502%
48	7.558	2018	2027	2044	rBV2	60018	109480	15.37%	1.952%
49	7.703	2070	2072	2073	rBV2	2149	989	0.14%	0.018%
50	7.731	2077	2081	2084	rBV5	2024	2081	0.29%	0.037%

51	7.957	2146	2151	2154	rBV6	1880	1496	0.21%	0.027%
52	8.034	2164	2175	2201	rBV	153329	324997	45.62%	5.793%
53	8.548	2333	2335	2341	rVB7	2239	1502	0.21%	0.027%
54	8.584	2344	2346	2351	rBV5	1816	1330	0.19%	0.024%
55	8.670	2371	2373	2376	rBV4	1265	657	0.09%	0.012%

56	8.722	2386	2389	2393	rBV6	1878	1386	0.19%	0.025%
57	8.792	2398	2411	2430	rBV	338035	569482	79.93%	10.151%
58	9.127	2512	2515	2525	rBV9	3318	4942	0.69%	0.088%
59	9.233	2546	2548	2551	rBV4	2839	1555	0.22%	0.028%
60	9.403	2597	2601	2603	rBV4	1169	816	0.11%	0.015%

61	9.432	2607	2610	2613	rBV5	1912	1197	0.17%	0.021%
62	9.448	2614	2615	2619	rBV3	1478	1060	0.15%	0.019%
63	9.516	2634	2636	2638	rBV3	1348	639	0.09%	0.011%
64	9.702	2691	2694	2695	rBV3	1712	755	0.11%	0.013%
65	9.918	2757	2761	2763	rBV4	2186	1759	0.25%	0.031%

66	10.014	2790	2791	2795	rVB5	1500	690	0.10%	0.012%
67	10.075	2808	2810	2812	rBV3	2278	1180	0.17%	0.021%
68	10.159	2826	2836	2853	rVB	228739	359181	50.41%	6.403%
69	10.272	2868	2871	2875	rBV5	2135	1620	0.23%	0.029%
70	10.471	2930	2933	2935	rBV3	1195	902	0.13%	0.016%

71	10.535	2951	2953	2956	rBV4	1967	1057	0.15%	0.019%
72	10.596	2970	2972	2974	rBV3	1226	630	0.09%	0.011%
73	10.702	3001	3005	3007	rBV4	1763	1418	0.20%	0.025%
74	10.854	3049	3052	3053	rBV3	1332	823	0.12%	0.015%
75	10.940	3077	3079	3082	rBV3	1550	1031	0.14%	0.018%

76	11.104	3127	3130	3132	rBV3	1607	1009	0.14%	0.018%
----	--------	------	------	------	------	------	------	-------	--------

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV052423\
 Data File : VV031226.D
 Acq On : 24 May 2023 19:33
 Operator : SY/MD
 Sample : 02865-23
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK001

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM051923WMA.M
 Title : VOC Analysis

77	11.191	3147	3157	3179	rBV	331448	537206	75.40%	9.576%
78	11.497	3247	3252	3254	rBV5	1810	1429	0.20%	0.025%
79	11.567	3261	3274	3290	rBV	328615	527555	74.05%	9.404%
80	11.805	3346	3348	3352	rVB4	2371	1228	0.17%	0.022%
81	11.837	3356	3358	3362	rBV3	1439	1064	0.15%	0.019%
82	12.130	3445	3449	3459	rBV10	2358	3667	0.51%	0.065%
83	12.181	3463	3465	3466	rBV2	1513	764	0.11%	0.014%
84	12.271	3488	3493	3495	rBV5	2444	1921	0.27%	0.034%
85	12.706	3626	3628	3631	rBB4	1376	661	0.09%	0.012%
86	12.799	3655	3657	3659	rBV2	1221	823	0.12%	0.015%
87	12.824	3663	3665	3668	rVB4	1381	704	0.10%	0.013%
88	12.911	3689	3692	3695	rVB4	1419	846	0.12%	0.015%
89	13.033	3725	3730	3731	rBV4	1543	1080	0.15%	0.019%
90	13.159	3767	3769	3773	rVB4	2915	1737	0.24%	0.031%
91	13.191	3773	3779	3782	rBV7	3466	4515	0.63%	0.080%
92	13.779	3959	3962	3964	rBV3	1334	846	0.12%	0.015%
93	13.914	3999	4004	4005	rBV5	1985	1523	0.21%	0.027%
94	14.021	4033	4037	4038	rBV3	1920	1461	0.21%	0.026%
95	14.107	4061	4064	4067	rBV4	1334	1189	0.17%	0.021%
96	14.233	4097	4103	4105	rBV7	3302	3425	0.48%	0.061%
97	14.259	4110	4111	4115	rBV4	1445	1021	0.14%	0.018%
98	14.866	4297	4300	4302	rBV4	2365	1743	0.24%	0.031%
99	15.262	4421	4423	4425	rBV3	2103	1042	0.15%	0.019%
100	15.358	4451	4453	4454	rBV2	1683	689	0.10%	0.012%


Sum of corrected areas: 5609986

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV052423\
Data File : VV031226.D
Acq On : 24 May 2023 19:33
Operator : SY/MD
Sample : 02865-23
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM051923WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV052423\
Data File : VV031226.D
Acq On : 24 May 2023 19:33
Operator : SY/MD
Sample : 02865-23
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM051923WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV052423\
Data File : VV031226.D
Acq On : 24 May 2023 19:33
Operator : SY/MD
Sample : 02865-23
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM051923WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------