

Data Path : W:\HPCHEM1\MSVOA V\DATA\VV052618\
 Data File : VV006058.D
 Acq On : 26 May 2018 16:18
 Operator : SY/MD
 Sample : J3090-09 100X
 Misc : 5.0 mL/MSVOA V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : W:\HPCHEM1\MSVOA_V\METHOD\SOMVLM052518WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	0.913	5	7	11	rVB	140	83	0.00%	0.001%
2	0.942	12	16	19	rVB2	184	127	0.00%	0.001%
3	0.961	19	22	27	rVB	106	84	0.00%	0.001%
4	1.026	27	42	66	rBV	260166	322360	7.61%	3.450%
5	1.318	128	133	154	rVB	66119	91419	2.16%	0.978%
6	1.553	202	206	216	rVB	30820	31198	0.74%	0.334%
7	1.752	261	268	280	rVB	28793	37061	0.87%	0.397%
8	2.122	374	383	395	rBV	150710	206563	4.88%	2.211%
9	3.816	908	910	913	rBV	140	60	0.00%	0.001%
10	3.903	934	937	938	rBV	216	98	0.00%	0.001%
11	3.964	939	956	996	rVB3	37340	141335	3.34%	1.513%
12	4.151	1006	1014	1023	rVB2	367	704	0.02%	0.008%
13	4.405	1075	1093	1118	rBV	104728	245564	5.80%	2.628%
14	4.591	1149	1151	1155	rBV	162	74	0.00%	0.001%
15	4.668	1174	1175	1176	rBV	103	28	0.00%	0.000%
16	4.877	1233	1240	1246	rVB3	595	998	0.02%	0.011%
17	4.919	1250	1253	1254	rBV	46	28	0.00%	0.000%
18	4.980	1270	1272	1275	rVB	138	58	0.00%	0.001%
19	5.022	1283	1285	1288	rVB	148	77	0.00%	0.001%
20	5.096	1290	1308	1332	rBV2	268062	617585	14.58%	6.609%
21	5.263	1357	1360	1364	rBV2	207	178	0.00%	0.002%
22	5.295	1368	1370	1371	rBV2	141	37	0.00%	0.000%
23	5.328	1378	1380	1381	rVV	128	32	0.00%	0.000%
24	5.334	1381	1382	1384	rVB	121	47	0.00%	0.001%
25	5.376	1391	1395	1398	rBV	192	181	0.00%	0.002%
26	5.434	1411	1413	1416	rVB	157	69	0.00%	0.001%
27	5.456	1417	1420	1423	rVB	250	143	0.00%	0.002%
28	5.472	1423	1425	1430	rVB	76	51	0.00%	0.001%
29	5.498	1430	1433	1436	rBV	90	63	0.00%	0.001%
30	5.514	1436	1438	1440	rVB	150	59	0.00%	0.001%
31	5.559	1450	1452	1455	rVB	128	94	0.00%	0.001%
32	5.578	1455	1458	1460	rBV	48	29	0.00%	0.000%
33	5.620	1468	1471	1472	rBV	90	51	0.00%	0.001%
34	5.668	1472	1486	1509	rVV	207842	398877	9.41%	4.269%

Data Path : W:\HPCHEM1\MSVOA V\DATA\VV052618\
 Data File : VV006058.D
 Acq On : 26 May 2018 16:18
 Operator : SY/MD
 Sample : J3090-09 100X
 Misc : 5.0 mL/MSVOA V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : W:\HPCHEM1\MSVOA_V\METHOD\SOMVLM052518WMA.M
 Title : VOC Analysis

35	5.820	1531	1533	1534	rBV	144	42	0.00%	0.000%
36	5.964	1562	1578	1614	rBV	2235639	4237003	100.00%	45.345%
37	6.125	1615	1628	1651	rVB	144340	285422	6.74%	3.055%
38	6.299	1680	1682	1685	rVV	172	83	0.00%	0.001%
39	6.321	1688	1689	1691	rVB	100	37	0.00%	0.000%
40	6.373	1703	1705	1708	rVB	140	94	0.00%	0.001%
41	6.392	1708	1711	1719	rBV	165	202	0.00%	0.002%
42	6.469	1733	1735	1736	rBV	181	63	0.00%	0.001%
43	6.504	1741	1746	1749	rVV	101	113	0.00%	0.001%
44	6.520	1749	1751	1755	rVB2	174	127	0.00%	0.001%
45	6.643	1787	1789	1792	rBV	167	152	0.00%	0.002%
46	6.723	1810	1814	1817	rBV3	408	356	0.01%	0.004%
47	6.774	1827	1830	1833	rBV	78	63	0.00%	0.001%
48	6.852	1852	1854	1856	rVB	138	55	0.00%	0.001%
49	6.929	1875	1878	1880	rBV	41	25	0.00%	0.000%
50	6.980	1891	1894	1896	rBV	62	35	0.00%	0.000%
51	7.035	1898	1911	1924	rBV	74650	126175	2.98%	1.350%
52	7.125	1937	1939	1942	rVB	134	77	0.00%	0.001%
53	7.170	1948	1953	1955	rBV3	400	366	0.01%	0.004%
54	7.209	1962	1965	1968	rVB	165	81	0.00%	0.001%
55	7.363	1996	2013	2030	rBV	281881	480491	11.34%	5.142%
56	7.569	2075	2077	2078	rBV	122	27	0.00%	0.000%
57	7.582	2078	2081	2085	rBV	82	64	0.00%	0.001%
58	7.668	2097	2108	2126	rVB	52850	86158	2.03%	0.922%
59	7.745	2129	2132	2133	rBV	153	65	0.00%	0.001%
60	7.810	2150	2152	2155	rVB	256	122	0.00%	0.001%
61	7.855	2164	2166	2169	rVB	176	54	0.00%	0.001%
62	7.906	2178	2182	2184	rBV2	154	111	0.00%	0.001%
63	7.951	2194	2196	2199	rVB	87	41	0.00%	0.000%
64	8.022	2207	2218	2232	rBV	71619	116583	2.75%	1.248%
65	8.144	2243	2256	2283	rBV	180097	312991	7.39%	3.350%
66	8.401	2333	2336	2338	rBV	309	172	0.00%	0.002%
67	8.434	2343	2346	2347	rBV	164	80	0.00%	0.001%
68	8.475	2355	2359	2365	rBV	135	156	0.00%	0.002%
69	8.556	2382	2384	2387	rBV	168	85	0.00%	0.001%
70	8.598	2394	2397	2402	rBV	208	122	0.00%	0.001%
71	8.655	2413	2415	2416	rBV	113	45	0.00%	0.000%

Data Path : W:\HPCHEM1\MSVOA V\DATA\VV052618\
 Data File : VV006058.D
 Acq On : 26 May 2018 16:18
 Operator : SY/MD
 Sample : J3090-09 100X
 Misc : 5.0 mL/MSVOA V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : W:\HPCHEM1\MSVOA_V\METHOD\SOMVLM052518WMA.M
 Title : VOC Analysis


72	8.675	2419	2421	2425	rVB	172	59	0.00%	0.001%
73	8.697	2425	2428	2430	rBV	82	56	0.00%	0.001%
74	8.816	2463	2465	2467	rBV	98	43	0.00%	0.000%
75	8.903	2479	2492	2509	rBV	293020	473283	11.17%	5.065%
76	9.051	2535	2538	2539	rBV	294	161	0.00%	0.002%
77	9.186	2575	2580	2585	rVB3	478	610	0.01%	0.007%
78	9.231	2591	2594	2597	rBV	101	59	0.00%	0.001%
79	9.308	2617	2618	2619	rVB	99	19	0.00%	0.000%
80	9.443	2656	2660	2662	rBV2	152	100	0.00%	0.001%
81	9.524	2684	2685	2686	rBV2	124	33	0.00%	0.000%
82	9.546	2689	2692	2695	rVB	151	89	0.00%	0.001%
83	9.585	2701	2704	2705	rBV	361	211	0.00%	0.002%
84	10.003	2832	2834	2835	rBV	113	26	0.00%	0.000%
85	10.077	2854	2857	2859	rBV	76	48	0.00%	0.001%
86	10.167	2884	2885	2889	rVB	126	56	0.00%	0.001%
87	10.270	2905	2917	2941	rBV	196380	313519	7.40%	3.355%
88	10.462	2976	2977	2978	rBV	93	19	0.00%	0.000%
89	10.543	3000	3002	3004	rBV	134	40	0.00%	0.000%
90	10.614	3022	3024	3029	rVB	192	113	0.00%	0.001%
91	10.643	3029	3033	3036	rBV	142	98	0.00%	0.001%
92	10.929	3120	3122	3127	rBV	175	109	0.00%	0.001%
93	11.170	3195	3197	3200	rBV	152	48	0.00%	0.001%
94	11.302	3227	3238	3259	rBV	251219	389314	9.19%	4.167%
95	11.678	3344	3355	3379	rVB	263375	422172	9.96%	4.518%
96	11.848	3407	3408	3409	rBV	117	32	0.00%	0.000%
97	12.028	3462	3464	3467	rBV	170	76	0.00%	0.001%
98	12.122	3490	3493	3495	rVB	195	92	0.00%	0.001%
99	12.700	3672	3673	3674	rBV	119	30	0.00%	0.000%
100	12.826	3710	3712	3714	rBV	135	36	0.00%	0.000%

Sum of corrected areas: 9343904

Data Path : W:\HPCHEM1\MSVOA V\DATA\VV052618\
Data File : VV006058.D
Acq On : 26 May 2018 16:18
Operator : SY/MD
Sample : J3090-09 100X
Misc : 5.0 mL/MSVOA V/WATER
ALS Vial : 12 Sample Multiplier: 1

Quant Method : W:\HPCHEM1\MSVOA_V\METHOD\SOMVLM052518WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : W:\HPCHEM1\MSVOA_V\DATA\VV052618\
Data File : VV006058.D
Acq On : 26 May 2018 16:18
Operator : SY/MD
Sample : J3090-09 100X
Misc : 5.0 mL/MSVOA_V/WATER
ALS Vial : 12 Sample Multiplier: 1

Quant Method : W:\HPCHEM1\MSVOA_V\METHOD\SOMVLM052518WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : W:\HPCHEM1\MSVOA_V\DATA\VV052618\
Data File : VV006058.D
Acq On : 26 May 2018 16:18
Operator : SY/MD
Sample : J3090-09 100X
Misc : 5.0 mL/MSVOA_V/WATER
ALS Vial : 12 Sample Multiplier: 1

Quant Method : W:\HPCHEM1\MSVOA_V\METHOD\SOMVLM052518WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
