

Data Path : W:\HPCHEM1\MSVOA V\DATA\VV052718\
 Data File : VV006107.D
 Acq On : 28 May 2018 00:43
 Operator : SY/MD
 Sample : J3090-12 4000X
 Misc : 5.0 mL/MSVOA V/WATER
 ALS Vial : 26 Sample Multiplier: 1

Quant Time: May 28 01:31:07 2018
 Quant Method : W:\HPCHEM1\MSVOA_V\METHOD\SOMVLM052718WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon May 28 00:47:58 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	242945	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	221128	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	90902	50.00	ug/L	0.00

System Monitoring Compounds


4) Vinyl Chloride-d3	1.32	65	92310	45.45	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	90.90%
7) Chloroethane-d5	1.55	69	37607	50.90	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	101.80%
11) 1,1-Dichloroethene-d2	2.13	63	136988	37.16	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.32%
21) 2-Butanone-d5	3.95	46	100295	97.74	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.74%
24) Chloroform-d	4.41	84	172157	48.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.62%
26) 1,2-Dichloroethane-d4	5.09	65	118222	51.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.26%
32) Benzene-d6	5.10	84	358103	50.12	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.24%
36) 1,2-Dichloropropane-d6	6.12	67	120606	51.18	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.36%
41) Toluene-d8	7.37	98	315851	47.62	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.24%
43) trans-1,3-Dichloropropene-	7.67	79	46823	46.16	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.32%
47) 2-Hexanone-d5	8.14	63	88987	96.58	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	96.58%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	156384	46.69	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.38%
64) 1,2-Dichlorobenzene-d4	11.68	152	120357	52.86	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.72%


Target Compounds					Ovalue
34) Trichloroethene	5.96	95	176459	101.09 ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : W:\HPCHEM1\MSVOA V\DATA\VV052718\
Data File : VV006107.D
Acq On : 28 May 2018 00:43
Operator : SY/MD
Sample : J3090-12 4000X
Misc : 5.0 mL/MSVOA V/WATER
ALS Vial : 26 Sample Multiplier: 1

Quant Time: May 28 01:31:07 2018
Quant Method : W:\HPCHEM1\MSVOA_V\METHOD\SOMVLM052718WMA.M
Quant Title : VOC Analysis
QLast Update : Mon May 28 00:47:58 2018
Response via : Initial Calibration





#34

Trichloroethene

Concen: 101.09 ug/L

RT: 5.96 min Scan# 1578

Delta R.T. -0.00 min

Lab File: VV006107.D

Acq: 28 May 2018 00:43

Tot Ion: 95 Resp: 176459



Ion Ratio Lower Upper

95 100

97 64.3 45.4 84.4

132 98.4 69.0 128.2

130 101.5 71.2 132.2



Abundance Ion 95.00 (94.70 to 95.70): VV0

Ion 97.00 (96.70 to 97.70): VV0

Ion 132.00 (131.70 to 132.70): V

Ion 130.00 (129.70 to 130.70): V

