

Quantitation Report (QT Reviewed)


Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV052720\
 Data File : VV016221.D
 Acq On : 27 May 2020 12:25
 Operator : SY/MD
 Sample : L2725-14
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F9B31

Quant Time: May 28 02:33:22 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR052620WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu May 28 01:17:22 2020
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDadoda
 5/29/2020 4:11:37 PM



Quantitation Report (Qedit)


Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV052720\
Data File : VV016221.D
Acq On : 27 May 2020 12:25
Operator : SY/MD
Sample : L2725-14
Misc : 25.0mL/MSVOA V/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F9B31

Manual Integrations
APPROVED

MMDadoda
5/29/2020 4:11:37 PM

Quant Time: May 28 01:20:29 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR052620WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu May 28 01:17:22 2020
Response via : Initial Calibration



(13) Acetone (T)

2.206min (-0.006) 1.94ug/L

response 1810

Ion	Exp%	Act%
43.05	100	100
58.05	24.40	62.98#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)


Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV052720\
 Data File : VV016221.D
 Acq On : 27 May 2020 12:25
 Operator : SY/MD
 Sample : L2725-14
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F9B31

Manual Integrations
 APPROVED

MMDadoda
 5/29/2020 4:11:37 PM

Quant Time: May 28 01:20:29 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR052620WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu May 28 01:17:22 2020
 Response via : Initial Calibration



(13) Acetone (T)

2.206min (-0.006) 4.94ug/L m

response 4618

Ion	Exp%	Act%
43.05	100	100
58.05	24.40	24.69
0.00	0.00	0.00
0.00	0.00	0.00

m.D
 05/30/20

Quantitation Report (QT Reviewed)

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV052720\
 Data File : VV016221.D
 Acq On : 27 May 2020 12:25
 Operator : SY/MD
 Sample : L2725-14
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F9B31

Manual Integrations
 APPROVED

MMDadoda
 5/29/2020 4:11:37 PM

Quant Time: May 28 02:33:22 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR052620WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu May 28 01:17:22 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	94822	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	91791	5.00	ug/L	0.00
61) 1,4-Dichlorobenzene-d4	11.27	152	41831	5.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.32	65	26560	4.36	ug/L	0.00
Spiked Amount 5.000	Range 40 - 130		Recovery =	87.20%		
7) Chloroethane-d5	1.58	69	25001	4.67	ug/L	0.00
Spiked Amount 5.000	Range 65 - 130		Recovery =	93.40%		
11) 1,1-Dichloroethene-d2	2.13	63	38666	3.38	ug/L	0.00
Spiked Amount 5.000	Range 60 - 125		Recovery =	67.60%		
20) 2-Butanone-d5	3.94	46	71999	47.66	ug/L	0.00
Spiked Amount 50.000	Range 40 - 130		Recovery =	95.32%		
24) Chloroform-d	4.38	84	55276	4.56	ug/L	0.00
Spiked Amount 5.000	Range 70 - 125		Recovery =	91.20%		
26) 1,2-Dichloroethane-d4	5.06	65	29792	4.64	ug/L	0.00
Spiked Amount 5.000	Range 70 - 130		Recovery =	92.80%		
32) Benzene-d6	5.08	84	106214	4.67	ug/L	0.00
Spiked Amount 5.000	Range 70 - 125		Recovery =	93.40%		
36) 1,2-Dichloropropane-d6	6.10	67	33474	4.76	ug/L	0.00
Spiked Amount 5.000	Range 60 - 140		Recovery =	95.20%		
41) Toluene-d8	7.34	98	92388	4.26	ug/L	0.00
Spiked Amount 5.000	Range 70 - 130		Recovery =	85.20%		
45) trans-1,3-Dichloropropene-	7.65	79	11144	4.25	ug/L	0.00
Spiked Amount 5.000	Range 55 - 130		Recovery =	85.00%		
48) 2-Hexanone-d5	8.12	63	50581	42.06	ug/L	0.00
Spiked Amount 50.000	Range 45 - 130		Recovery =	84.12%		
59) 1,1,2,2-Tetrachloroethane-	10.24	84	22193	4.27	ug/L	0.00
Spiked Amount 5.000	Range 65 - 120		Recovery =	85.40%		
65) 1,2-Dichlorobenzene-d4	11.65	152	34116	4.88	ug/L	0.00
Spiked Amount 5.000	Range 80 - 120		Recovery =	97.60%		

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
13) Acetone	2.21	43	4618m	4.939	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

m.p
 05/30/20