

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW052723\
 Data File : VW031255.D
 Acq On : 26 May 2023 18:52
 Operator : SY/MD
 Sample : 02962-02
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C11G8

Quant Time: May 27 01:47:11 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR052523WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat May 27 01:45:01 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.542	114	145543	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.793	117	146979	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.194	152	65912	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.282	65	64444	3.995	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	80.000%
7) Chloroethane-d5	1.536	69	55036	4.374	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	87.400%
11) 1,1-Dichloroethene-d2	2.063	65	26013	3.902	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	78.000%
20) 2-Butanone-d5	3.815	46	153095	44.097	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	88.200%
24) Chloroform-d	4.259	84	121827	3.809	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	76.200%
26) 1,2-Dichloroethane-d4	4.953	65	69737	4.412	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.200%
32) Benzene-d6	4.970	84	227539	3.707	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	74.200%
36) 1,2-Dichloropropane-d6	5.995	67	91316	4.446	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	89.000%
41) Toluene-d8	7.252	98	198141	3.694	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	73.800%
43) trans-1,3-Dichloroprop...	7.564	79	27117	4.106	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	82.200%
46) 2-Hexanone-d5	8.034	63	114079	42.306	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	84.620%
56) 1,1,2,2-Tetrachloroeth...	10.162	84	58983	4.069	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	81.400%
66) 1,2-Dichlorobenzene-d4	11.567	152	73321	4.741	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	94.800%
Target Compounds						
					Qvalue	
3) Chloromethane	1.217	50	12071	0.689	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV052723\
Data File : VV031255.D
Acq On : 26 May 2023 18:52
Operator : SY/MD
Sample : 02962-02
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C11G8

Quant Time: May 27 01:47:11 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR052523WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat May 27 01:45:01 2023
Response via : Initial Calibration

