

Data File : VV011175.D
Acq On : 31 May 2019 12:15
Operator : SY/MD
Sample : K3083-13
Misc : 0.10G/10ML/MSVOA_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A51J5

Quant Time: Jun 01 00:04:41 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM053019S.M
Quant Title : VOC Analysis
QLast Update : Fri May 31 23:16:38 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	401930	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	376675	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	158263	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	118051	21.71	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	86.84%
7) Chloroethane-d5	1.55	69	96150	23.00	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	92.00%
10) 1,1-Dichloroethene-d2	2.11	63	178114	15.96	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	63.84%
20) 2-Butanone-d5	3.93	46	98344	49.48	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.96%
24) Chloroform-d	4.39	84	191142	19.45	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	77.80%
26) 1,2-Dichloroethane-d4	5.07	65	141139	22.05	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	88.20%
29) Benzene-d6	5.09	84	457584	22.37	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	89.48%
33) 1,2-Dichloropropane-d6	6.11	67	144926	22.11	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	88.44%
37) Toluene-d8	7.35	98	454690	23.56	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	94.24%
38) trans-1,3-Dichloropropene-	7.66	79	68257	23.01	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	92.04%
39) 2-Hexanone-d5	8.13	63	81224	54.52	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	109.04%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	148032	25.06	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	100.24%
61) 1,2-Dichlorobenzene-d4	11.67	152	141404	23.88	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	95.52%


Target Compounds					Qvalue
13) Acetone	2.18	43	7595	3.285 ug/L	76


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VV011175.D
Acq On : 31 May 2019 12:15
Operator : SY/MD
Sample : K3083-13
Misc : 0.10G/10ML/MSVOA_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A51J5

Quant Time: Jun 01 00:04:41 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM053019S.M
Quant Title : VOC Analysis
QLast Update : Fri May 31 23:16:38 2019
Response via : Initial Calibration





#13

Acetone

Concen: 3.285 ug/L

RT: 2.18 min Scan# 340

Delta R.T. -0.00 min

Lab File: VV011175.D

Acq: 31 May 2019 12:15

Instrument :
MSVOA_V
ClientSampleId :
A51J5

Tgt Ion: 43 Resp: 7595

Ion Ratio Lower Upper

43 100

58 39.2 0.0 53.8

