


Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV060320\
Data File : VV016491.D
Acq On : 04 Jun 2020 05:36
Operator : SY/MD
Sample : L2849-14
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 70 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
ETTT7

Manual Integrations
APPROVED

MMDadoda
6/4/2020 3:38:29 PM

Quant Time: Jun 04 07:52:34 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060320WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jun 04 05:34:42 2020
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV060320\
 Data File : VV016491.D
 Acq On : 04 Jun 2020 05:36
 Operator : SY/MD
 Sample : L2849-14
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 70 Sample Multiplier: 1

Instrument :
 MSVOA_V
ClientSampleId :
 ETTT7

Manual Integrations
APPROVED

MMDadoda
 6/4/2020 3:38:29 PM

Quant Time: Jun 04 07:41:11 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060320WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jun 04 05:34:42 2020
 Response via : Initial Calibration



TIC: VV016491.D

(20) cis-1,2-Dichloroethene (T)

4.058min (+0.119) 0.04ug/L

response 119

Ion	Exp%	Act%
96.00	100	100
61.00	133.40	108.05
68.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV060320\
 Data File : VV016491.D
 Acq On : 04 Jun 2020 05:36
 Operator : SY/MD
 Sample : L2849-14
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 70 Sample Multiplier: 1

Instrument :
 MSVOA_V
ClientSampled :
 ETTT7

Manual Integrations
APPROVED

MMDadoda
 6/4/2020 3:38:29 PM

Ouant Time: Jun 04 07:41:11 2020
 Ouant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060320WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jun 04 05:34:42 2020
 Response via : Initial Calibration



TIC: VV016491.D

(20) cis-1,2-Dichloroethene (T)

3.946min (+0.006) 3.13ug/L m

response 8494

Ion	Exp%	Act%
96.00	100	100
61.00	133.40	126.94
68.00	0.00	3.42#
0.00	0.00	0.00

> MD
06/04/20

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV060320\
 Data File : VV016491.D
 Acq On : 04 Jun 2020 05:36
 Operator : SY/MD
 Sample : L2849-14
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 70 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 ETTT7

Manual Integrations
 APPROVED

MMDadoda
 6/4/2020 3:38:29 PM

Quant Time: Jun 04 07:52:34 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060320WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jun 04 05:34:42 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	358551	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	335480	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	156850	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	111139	43.76	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	87.52%		
7) Chloroethane-d5	1.57	69	83711	45.66	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	91.32%		
11) 1,1-Dichloroethene-d2	2.12	63	151310	33.61	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	67.22%		
21) 2-Butanone-d5	3.90	46	172250	106.08	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	106.08%		
24) Chloroform-d	4.38	84	224203	47.04	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	94.08%		
26) 1,2-Dichloroethane-d4	5.06	65	156731	49.11	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	98.22%		
32) Benzene-d6	5.07	84	448447	49.90	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	99.80%		
36) 1,2-Dichloropropane-d6	6.09	67	141649	50.59	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	101.18%		
41) Toluene-d8	7.34	98	397135	48.66	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	97.32%		
43) trans-1,3-Dichloropropene-	7.64	79	56347	41.29	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	82.58%		
47) 2-Hexanone-d5	8.11	63	129711	108.16	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	108.16%		
57) 1,1,2,2-Tetrachloroethane-	10.24	84	185804	48.93	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	97.86%		
64) 1,2-Dichlorobenzene-d4	11.65	152	160598	54.48	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	108.96%		

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
5) Vinyl chloride	1.32	62	3296	1.197	ug/L	# 5
20) cis-1,2-Dichloroethene	3.95	96	8494m	3.134	ug/L	> MB

06/04/20

(#) = qualifier out of range (m) = manual integration (+) = signals summed