

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV060320\
 Data File : VV016458.D
 Acq On : 03 Jun 2020 15:48
 Operator : SY/MD
 Sample : L2843-01DL 20X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AA4DL

Manual Integrations
 APPROVED

MMDadoda
 6/4/2020 3:39:25 PM

Quant Time: Jun 04 03:16:23 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060320WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jun 04 01:16:39 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	372055	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	347941	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	161457	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	114678	43.52	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	87.04%
7) Chloroethane-d5	1.58	69	72955	38.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	76.70%
11) 1,1-Dichloroethene-d2	2.12	63	162945	34.88	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.76%
21) 2-Butanone-d5	3.90	46	178695	106.05	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	106.05%
24) Chloroform-d	4.37	84	234092	47.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.68%
26) 1,2-Dichloroethane-d4	5.06	65	160587	48.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.98%
32) Benzene-d6	5.07	84	465575	49.95	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.90%
36) 1,2-Dichloropropane-d6	6.09	67	146685	50.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.02%
41) Toluene-d8	7.34	98	417057	49.27	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.54%
43) trans-1,3-Dichloropropene-	7.64	79	67074	47.39	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.78%
47) 2-Hexanone-d5	8.11	63	137244	110.35	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	110.35%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	193322	49.08	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.16%
64) 1,2-Dichlorobenzene-d4	11.65	152	164516	54.22	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	108.44%

Target Compounds

					Ovalue
5) Vinyl chloride	1.32	62	13547	4.740 ug/L	88
20) cis-1,2-Dichloroethene	3.94	96	145807m	51.839 ug/L	
34) Trichloroethene	5.94	95	226446	84.336 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV060320\
Data File : VV016458.D
Acq On : 03 Jun 2020 15:48
Operator : SY/MD
Sample : L2843-01DL 20X
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 35 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
C0AA4DL

Manual Integrations
APPROVED

MMDadoda
6/4/2020 3:39:25 PM

Quant Time: Jun 04 03:16:23 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060320WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jun 04 01:16:39 2020
Response via : Initial Calibration





#5

Vinyl chloride

Concen: 4.740 ug/L

RT: 1.32 min Scan# 71

Delta R.T. -0.00 min

Lab File: VV016458.D

Acq: 03 Jun 2020 15:48

Instrument :

MSVOA_V

ClientSampleId :

C0AA4DL

Tot Ion: 62 Resp: 13547

Ion Ratio Lower Upper

62 100


64 39.0 22.7 42.1

Manual Integrations

APPROVED

MMDadoda

6/4/2020 3:39:25 PM



Abundance Ion 62.00 (61.70 to 62.70): VV0

Ion 64.00 (63.70 to 64.70): VV0

15000



10000

5000

0

1.30 1.35

Time-->



#20

cis-1,2-Dichloroethene

Concen: 51.839 ug/L m

RT: 3.94 min Scan# 885

Delta R.T. -0.00 min

Lab File: VV016458.D

Acq: 03 Jun 2020 15:48


Tgt Ion: 96 Resp: 145807

Ion Ratio Lower Upper

96 100

61 127.0 93.4 173.4

68 0.2 0.0 0.0#



Abundance Ion 96.00 (95.70 to 96.70): VV0

Ion 61.00 (60.70 to 61.70): VV0

Ion 68.00 (67.70 to 68.70): VV0

100000

80000

60000


40000


20000

0

3.90 4.00

Time-->





#34

Trichloroethene

Concen: 84.336 ug/L

RT: 5.94 min Scan# 1507

Delta R.T. -0.00 min

Lab File: VV016458.D

Acq: 03 Jun 2020 15:48

Instrument :

MSVOA_V

ClientSampleId :

C0AA4DL

Tot Ion: 95 Resp: 226446

Ion Ratio Lower Upper

95 100

97 62.8 42.8 79.6

132 95.0 65.6 121.8



130 99.8 69.0 128.1

Manual Integrations

APPROVED

MMDadoda

6/4/2020 3:39:25 PM



Abundance Ion 95.00 (94.70 to 95.70): VV0

Ion 97.00 (96.70 to 97.70): VV0

Ion 132.00 (131.70 to 132.70): V

Ion 130.00 (129.70 to 130.70): V

