

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV060321\
 Data File : VV021487.D
 Acq On : 03 Jun 2021 15:10
 Operator : SY/MD
 Sample : M2605-04
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG7K0

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM052721WMA.M

Title : VOC Analysis

Signal : TIC: VV021487.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.108	16	21	30	rVB	18424	17496	0.01%	0.011%
2	1.304	75	82	95	rVB	200201	203521	0.14%	0.130%
3	1.568	156	164	175	rBV	164788	182730	0.13%	0.117%
4	2.108	321	332	345	rBV	339213	494610	0.35%	0.316%
5	2.349	403	407	414	rVB5	761	886	0.00%	0.001%
6	2.500	445	454	461	rVV10	2812	5527	0.00%	0.004%
7	2.764	526	536	549	rVB4	3623	7486	0.01%	0.005%
8	2.953	588	595	601	rVV6	1012	1569	0.00%	0.001%
9	3.047	609	624	636	rBV5	11009	22735	0.02%	0.015%
10	3.224	673	679	682	rBV4	445	584	0.00%	0.000%
11	3.320	706	709	714	rBV3	382	411	0.00%	0.000%
12	3.677	811	820	831	rVB4	2477	5409	0.00%	0.003%
13	3.764	835	847	860	rVV4	4150	10300	0.01%	0.007%
14	3.892	876	887	900	rBV	121178	333265	0.24%	0.213%
15	3.969	901	911	955	rVB	271740	823769	0.58%	0.527%
16	4.349	1010	1029	1064	rBV2	343724	901886	0.64%	0.577%
17	4.677	1127	1131	1135	rVV4	881	576	0.00%	0.000%
18	4.770	1146	1160	1180	rVB5	6031	16572	0.01%	0.011%
19	4.921	1201	1207	1209	rVV5	615	550	0.00%	0.000%
20	5.050	1229	1247	1282	rBV2	626505	1604890	1.13%	1.027%
21	5.233	1294	1304	1326	rVB3	18611	46810	0.03%	0.030%
22	5.317	1328	1330	1333	rVB2	744	414	0.00%	0.000%
23	5.342	1333	1338	1344	rBV5	747	766	0.00%	0.000%
24	5.423	1360	1363	1371	rVB5	543	617	0.00%	0.000%
25	5.481	1377	1381	1384	rBV2	571	508	0.00%	0.000%
26	5.619	1412	1424	1458	rBV	531824	1067977	0.75%	0.683%
27	5.921	1505	1518	1538	rBV3	67195	143914	0.10%	0.092%
28	6.072	1551	1565	1591	rBV	345205	709970	0.50%	0.454%
29	6.310	1632	1639	1649	rVB5	1951	3696	0.00%	0.002%
30	6.391	1659	1664	1666	rVV2	457	423	0.00%	0.000%
31	6.458	1684	1685	1692	rVB4	557	427	0.00%	0.000%
32	6.490	1692	1695	1700	rBV3	456	449	0.00%	0.000%
33	6.522	1701	1705	1708	rBV	420	407	0.00%	0.000%
34	6.555	1712	1715	1718	rBV	520	441	0.00%	0.000%
35	6.654	1734	1746	1760	rVV2	16740	36606	0.03%	0.023%
36	6.780	1771	1785	1801	rVB3	24924	52825	0.04%	0.034%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV060321\
 Data File : VV021487.D
 Acq On : 03 Jun 2021 15:10
 Operator : SY/MD
 Sample : M2605-04
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG7K0

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM052721WMA.M
 Title : VOC Analysis

37	6.989	1838	1850	1873	rBV	224125	408369	0.29%	0.261%
38	7.246	1928	1930	1933	rBV2	698	492	0.00%	0.000%
39	7.320	1940	1953	1971	rBV	778052	1361850	0.96%	0.871%
40	7.625	2036	2048	2071	rBV	151983	268919	0.19%	0.172%
41	7.844	2111	2116	2118	rBV4	671	638	0.00%	0.000%
42	7.895	2127	2132	2134	rBV2	484	390	0.00%	0.000%
43	7.998	2134	2164	2184	rBV3	58625634	141524925	100.00%	90.542%
44	8.088	2185	2192	2224	rVB	472011	929500	0.66%	0.595%
45	8.702	2380	2383	2385	rBV4	788	404	0.00%	0.000%
46	8.854	2419	2430	2455	rBV	771536	1250581	0.88%	0.800%
47	9.114	2505	2511	2514	rBV6	1410	1541	0.00%	0.001%
48	9.149	2518	2522	2532	rVB8	3196	5145	0.00%	0.003%
49	9.320	2571	2575	2578	rBV2	707	554	0.00%	0.000%
50	9.448	2607	2615	2616	rBV2	3827	3705	0.00%	0.002%
51	9.551	2642	2647	2652	rBV5	1010	1241	0.00%	0.001%
52	9.677	2680	2686	2689	rBV6	1394	1723	0.00%	0.001%
53	9.799	2720	2724	2726	rVV4	1555	1414	0.00%	0.001%
54	9.837	2728	2736	2746	rVB7	4376	8456	0.01%	0.005%
55	9.908	2750	2758	2760	rBV6	1270	1389	0.00%	0.001%
56	9.982	2773	2781	2786	rBV8	4576	6489	0.00%	0.004%
57	10.027	2787	2795	2805	rVV4	8807	15842	0.01%	0.010%
58	10.130	2819	2827	2835	rBV5	6889	9776	0.01%	0.006%
59	10.217	2843	2854	2885	rVB	523753	844316	0.60%	0.540%
60	10.387	2897	2907	2918	rBV	24291	41606	0.03%	0.027%
61	10.452	2922	2927	2937	rVB7	4843	7917	0.01%	0.005%
62	10.619	2969	2979	2990	rVB10	5190	9765	0.01%	0.006%
63	10.673	2992	2996	2999	rBV3	541	545	0.00%	0.000%
64	10.741	3010	3017	3018	rBV7	2200	2499	0.00%	0.002%
65	10.831	3040	3045	3047	rBV4	678	585	0.00%	0.000%
66	10.863	3051	3055	3056	rBV3	1181	853	0.00%	0.001%
67	10.876	3056	3059	3061	rBV6	1069	734	0.00%	0.000%
68	11.040	3100	3110	3113	rVV7	1996	3173	0.00%	0.002%
69	11.091	3113	3126	3135	rVB2	8325	16220	0.01%	0.010%
70	11.127	3135	3137	3139	rBV2	769	514	0.00%	0.000%
71	11.152	3139	3145	3161	rVB10	3675	6889	0.00%	0.004%
72	11.249	3164	3175	3197	rBV	938711	1450412	1.02%	0.928%
73	11.538	3258	3265	3270	rBV7	1364	1876	0.00%	0.001%
74	11.625	3280	3292	3315	rBV	888049	1371250	0.97%	0.877%
75	11.776	3336	3339	3340	rBV2	882	463	0.00%	0.000%
76	11.850	3360	3362	3367	rVB3	1274	929	0.00%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV060321\
 Data File : VV021487.D
 Acq On : 03 Jun 2021 15:10
 Operator : SY/MD
 Sample : M2605-04
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG7K0

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM052721WMA.M
 Title : VOC Analysis

77	11.927	3382	3386	3392	rBV4	591	758	0.00%	0.000%
78	12.043	3418	3422	3424	rBV4	722	473	0.00%	0.000%
79	12.056	3424	3426	3433	rVB4	575	441	0.00%	0.000%
80	12.114	3438	3444	3445	rBV4	1327	1157	0.00%	0.001%
81	12.204	3465	3472	3477	rBV5	1072	1316	0.00%	0.001%
82	12.249	3478	3486	3500	rBV9	4400	8139	0.01%	0.005%
83	12.352	3509	3518	3526	rBV6	5418	9744	0.01%	0.006%
84	12.474	3547	3556	3566	rVB8	2416	4125	0.00%	0.003%
85	12.522	3566	3571	3573	rBV2	677	595	0.00%	0.000%
86	12.551	3573	3580	3585	rVV7	1449	1980	0.00%	0.001%
87	12.760	3638	3645	3649	rVV3	878	1141	0.00%	0.001%
88	12.886	3677	3684	3688	rBV5	1213	1335	0.00%	0.001%
89	12.908	3689	3691	3696	rVV2	568	432	0.00%	0.000%
90	12.953	3702	3705	3711	rVV4	829	923	0.00%	0.001%
91	13.004	3715	3721	3729	rVB7	2119	2724	0.00%	0.002%
92	13.069	3736	3741	3743	rBV5	869	873	0.00%	0.001%
93	13.159	3764	3769	3770	rBV2	1057	857	0.00%	0.001%
94	13.223	3780	3789	3793	rBV5	772	1043	0.00%	0.001%
95	13.275	3800	3805	3809	rBV	787	652	0.00%	0.000%
96	13.480	3863	3869	3876	rVB5	1999	1984	0.00%	0.001%
97	13.873	3988	3991	3997	rVB5	880	768	0.00%	0.000%
98	14.439	4164	4167	4171	rBV4	778	591	0.00%	0.000%
99	14.596	4212	4216	4220	rBV2	773	703	0.00%	0.000%
100	14.914	4312	4315	4320	rBV4	665	674	0.00%	0.000%

Sum of corrected areas: 156308339

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV060321\
Data File : VV021487.D
Acq On : 03 Jun 2021 15:10
Operator : SY/MD
Sample : M2605-04
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG7K0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM052721WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV060321\
Data File : VV021487.D
Acq On : 03 Jun 2021 15:10
Operator : SY/MD
Sample : M2605-04
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG7K0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM052721WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------