

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV060619\
 Data File : VV011281.D
 Acq On : 07 Jun 2019 09:07
 Operator : SY/MD
 Sample : K3228-05
 Misc : 25ML/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F9P04

Quant Time: Jun 08 00:31:22 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR060419WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Jun 08 00:01:28 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	149841	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	141648	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	56421	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	52448	4.62	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	92.40%
7) Chloroethane-d5	1.55	69	42567	4.51	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	90.20%
11) 1,1-Dichloroethene-d2	2.12	63	80495	3.55	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	71.00%
20) 2-Butanone-d5	3.94	46	152836	59.79	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	119.58%
24) Chloroform-d	4.40	84	97639	4.89	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.80%
26) 1,2-Dichloroethane-d4	5.08	65	55426	5.13	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	102.60%
32) Benzene-d6	5.09	84	195640	4.62	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.40%
36) 1,2-Dichloropropane-d6	6.11	67	60848	4.66	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	93.20%
41) Toluene-d8	7.36	98	172338	4.43	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.60%
43) trans-1,3-Dichloropropene-	7.66	79	18244	3.67	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	73.40%
46) 2-Hexanone-d5	8.13	63	122776	58.41	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	116.82%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	45266	5.09	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	101.80%
64) 1,2-Dichlorobenzene-d4	11.67	152	56954	5.11	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	102.20%


Target Compounds					Ovalue
13) Acetone	2.19	43	5988	3.494 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV060619\
Data File : VV011281.D
Acq On : 07 Jun 2019 09:07
Operator : SY/MD
Sample : K3228-05
Misc : 25ML/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F9P04

Quant Time: Jun 08 00:31:22 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR060419WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Jun 08 00:01:28 2019
Response via : Initial Calibration





#13

Acetone

Concen: 3.494 ug/L

RT: 2.19 min Scan# 343

Delta R.T. -0.00 min

Lab File: VV011281.D

Acq: 07 Jun 2019 09:07

Instrument :
MSVOA_V
ClientSampleId :
F9P04

Tot Ion: 43 Resp: 5988

Ion Ratio Lower Upper

43 100

58 31.0 0.0 55.2

