

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV060619\
 Data File : VV011295.D
 Acq On : 07 Jun 2019 18:34
 Operator : SY/MD
 Sample : K3228-11
 Misc : 25ML/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F9P10

Quant Time: Jun 08 01:42:51 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR060419WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Jun 08 00:40:24 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	154284	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	139328	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	55593	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	45443	3.89	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	77.80%
7) Chloroethane-d5	1.56	69	38837	4.00	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	80.00%
11) 1,1-Dichloroethene-d2	2.12	63	74106	3.17	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	63.40%
20) 2-Butanone-d5	3.95	46	128714	48.90	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	97.80%
24) Chloroform-d	4.40	84	91103	4.43	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.60%
26) 1,2-Dichloroethane-d4	5.08	65	51714	4.65	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.00%
32) Benzene-d6	5.09	84	185383	4.45	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.00%
36) 1,2-Dichloropropane-d6	6.12	67	57896	4.51	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	90.20%
41) Toluene-d8	7.36	98	157816	4.12	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.40%
43) trans-1,3-Dichloropropene-	7.66	79	16697	3.41	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	68.20%
46) 2-Hexanone-d5	8.13	63	99451	48.10	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	96.20%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	37690	4.30	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	86.00%
64) 1,2-Dichlorobenzene-d4	11.67	152	51096	4.66	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	93.20%


Target Compounds					Ovalue
13) Acetone	2.20	43	7477	4.237 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV060619\
Data File : VV011295.D
Acq On : 07 Jun 2019 18:34
Operator : SY/MD
Sample : K3228-11
Misc : 25ML/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F9P10

Quant Time: Jun 08 01:42:51 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR060419WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Jun 08 00:40:24 2019
Response via : Initial Calibration





#13

Acetone

Concen: 4.237 ug/L

RT: 2.20 min Scan# 344

Delta R.T. 0.00 min

Lab File: VV011295.D

Acq: 07 Jun 2019 18:34

Instrument :
MSVOA_V
ClientSampleId :
F9P10

Tot Ion: 43 Resp: 7477

Ion Ratio Lower Upper

43 100

58 25.8 0.0 55.2

