

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV060620\
 Data File : VV016583.D
 Acq On : 06 Jun 2020 12:30
 Operator : SY/MD
 Sample : L2895-03
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EW0G8

Quant Time: Jun 06 23:49:35 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060320WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Jun 06 23:47:35 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	301041	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	284189	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	132105	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	101630	47.66	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	95.32%
7) Chloroethane-d5	1.56	69	76494	49.69	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	99.38%
11) 1,1-Dichloroethene-d2	2.12	63	144725	38.29	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	76.58%
21) 2-Butanone-d5	3.89	46	193293	141.77	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	141.77%#
24) Chloroform-d	4.37	84	228911	57.21	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	114.42%
26) 1,2-Dichloroethane-d4	5.05	65	163277	60.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	121.86%
32) Benzene-d6	5.07	84	463716	60.91	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	121.82%
36) 1,2-Dichloropropane-d6	6.09	67	146786	61.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	123.76%#
41) Toluene-d8	7.34	98	410537	59.38	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	118.76%
43) trans-1,3-Dichloropropene-	7.64	79	67829	58.68	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	117.36%
47) 2-Hexanone-d5	8.11	63	141195	138.99	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	138.99%#
57) 1,1,2,2-Tetrachloroethane-	10.24	84	197452	61.38	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	122.76%#
64) 1,2-Dichlorobenzene-d4	11.65	152	169842	68.41	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	136.82%#

Target Compounds


					Ovalue
5) Vinyl chloride	1.32	62	9167	3.964	ug/L # 70
10) 1,1,2-Trichloro-1,2,2-trif	2.12	101	1462	0.842	ug/L # 24
13) Acetone	2.18	43	1392	1.092	ug/L 98
20) cis-1,2-Dichloroethene	3.94	96	78377	34.439	ug/L 100
44) trans-1,3-Dichloropropene	7.64	75	3084	0.990	ug/L 99
46) Tetrachloroethene	8.00	164	12558	7.427	ug/L 95
59) 1,2,3-Trichloropropane	11.27	75	16229	5.970	ug/L 89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV060620\
Data File : VV016583.D
Acq On : 06 Jun 2020 12:30
Operator : SY/MD
Sample : L2895-03
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EW0G8

Quant Time: Jun 06 23:49:35 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060320WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Jun 06 23:47:35 2020
Response via : Initial Calibration





#5

Vinyl chloride

Concen: 3.964 ug/L

RT: 1.32 min Scan# 71

Delta R.T. 0.00 min

Lab File: VV016583.D

Acq: 06 Jun 2020 12:30

Instrument :

MSVOA_V

ClientSampleId :


EW0G8

Tot Ion: 62 Resp: 9167

Ion Ratio Lower Upper


62 100

64 49.2 22.7 42.1#





Abundance Ion 62.00 (61.70 to 62.70): VV016578.D (-63) (-)

Ion 64.00 (63.70 to 64.70): VV016583.D (-229) (-)



Time-->



#10

1,1,2-Trichloro-1,2,2-trifluoroethane

Concen: 0.842 ug/L

RT: 2.12 min Scan# 319

Delta R.T. -0.01 min

Lab File: VV016583.D

Acq: 06 Jun 2020 12:30


Tgt Ion: 101 Resp: 1462

Ion Ratio Lower Upper

101 100

85 2.8 35.6 53.4#


151 5.2 61.8 92.8#




Abundance Ion 101.00 (100.70 to 101.70): VV016578.D (-308) (-)


Ion 85.00 (84.70 to 85.70): VV016583.D (-229) (-)

Ion 151.00 (150.70 to 151.70): VV016583.D (-229) (-)



Time-->





#13

Acetone

Concen: 1.092 ug/L

RT: 2.18 min Scan# 338

Delta R.T. 0.01 min

Lab File: VV016583.D

Acq: 06 Jun 2020 12:30

Instrument :

MSVOA_V

ClientSampled :





EW0G8

Tot Ion: 43 Resp: 1392

Ion Ratio Lower Upper

43 100

58 29.8 0.0 57.2



#20

cis-1,2-Dichloroethene

Concen: 34.439 ug/L

RT: 3.94 min Scan# 885

Delta R.T. 0.00 min

Lab File: VV016583.D

Acq: 06 Jun 2020 12:30




Tgt Ion: 96 Resp: 78377


Ion Ratio Lower Upper

96 100

61 132.9 93.4 173.4

68 0.0 0.0 0.0





#44

trans-1,3-Dichloropropene

Concen: 0.990 ug/L

RT: 7.64 min Scan# 2038

Delta R.T. -0.03 min

Lab File: VV016583.D

Acq: 06 Jun 2020 12:30

Instrument :

MSVOA_V

ClientSampleId :





EW0G8

Tot Ion: 75 Resp: 3084

Ion Ratio Lower Upper

75 100

77 32.0 22.2 41.2



#46

Tetrachloroethene

Concen: 7.427 ug/L

RT: 8.00 min Scan# 2149

Delta R.T. 0.00 min

Lab File: VV016583.D

Acq: 06 Jun 2020 12:30

Tgt Ion: 164 Resp: 12558




Ion Ratio Lower Upper


164 100

129 86.3 67.7 125.7

131 87.4 63.8 118.6

166 124.9 88.7 164.7





#59

1,2,3-Trichloropropane

Concen: 5.970 ug/L

RT: 11.27 min Scan# 3166

Delta R.T. 0.97 min

Lab File: VV016583.D

Acq: 06 Jun 2020 12:30

Instrument :

MSVOA_V

ClientSampleId :


EW0G8

Tot Ion: 75 Resp: 16229

Ion Ratio Lower Upper

75 100

77 39.8 26.6 40.0



Abundance Ion 75.00 (74.70 to 75.70): VV0

Ion 77.00 (76.70 to 77.70): VV0

