

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV060620\
 Data File : VV016614.D
 Acq On : 07 Jun 2020 02:09
 Operator : SY/MD
 Sample : L2875-13
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 ETTY3

Quant Time: Jun 07 03:38:57 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060320WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sun Jun 07 03:25:55 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	375894	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	343427	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	160288	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	117707	44.21	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	88.42%
7) Chloroethane-d5	1.57	69	80077	41.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	83.32%
11) 1,1-Dichloroethene-d2	2.12	63	157239	33.32	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.64%
21) 2-Butanone-d5	3.90	46	179902	105.68	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	105.68%
24) Chloroform-d	4.37	84	239901	48.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.02%
26) 1,2-Dichloroethane-d4	5.05	65	172428	51.54	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.08%
32) Benzene-d6	5.07	84	484866	52.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.42%
36) 1,2-Dichloropropane-d6	6.09	67	151498	52.85	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	105.70%
41) Toluene-d8	7.34	98	432351	51.75	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.50%
43) trans-1,3-Dichloropropene-	7.64	79	68380	48.95	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.90%
47) 2-Hexanone-d5	8.11	63	129981	105.88	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	105.88%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	191617	49.29	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.58%
64) 1,2-Dichlorobenzene-d4	11.65	152	168990	56.10	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	112.20%

Target Compounds					Ovalue
5) Vinyl chloride	1.32	62	32723	11.334 ug/L	94
20) cis-1,2-Dichloroethene	3.94	96	14887	5.239 ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV060620\
Data File : VV016614.D
Acq On : 07 Jun 2020 02:09
Operator : SY/MD
Sample : L2875-13
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
ETTY3

Quant Time: Jun 07 03:38:57 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060320WMA.M
Quant Title : VOC Analysis
QLast Update : Sun Jun 07 03:25:55 2020
Response via : Initial Calibration

