

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV060620\
 Data File : VV016617.D
 Acq On : 07 Jun 2020 03:20
 Operator : SY/MD
 Sample : L2875-18
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 ETTW5

Quant Time: Jun 07 07:24:54 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060320WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sun Jun 07 03:25:55 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	367772	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	344159	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	153975	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	113986	43.76	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	87.52%
7) Chloroethane-d5	1.57	69	76826	40.85	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	81.70%
11) 1,1-Dichloroethene-d2	2.12	63	151972	32.91	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.82%
21) 2-Butanone-d5	3.90	46	178374	107.09	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	107.09%
24) Chloroform-d	4.37	84	234595	47.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.98%
26) 1,2-Dichloroethane-d4	5.05	65	168553	51.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.98%
32) Benzene-d6	5.07	84	477549	51.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.60%
36) 1,2-Dichloropropane-d6	6.09	67	148582	51.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.44%
41) Toluene-d8	7.34	98	422671	50.48	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.96%
43) trans-1,3-Dichloropropene-	7.64	79	64135	45.81	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.62%
47) 2-Hexanone-d5	8.11	63	130012	105.68	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	105.68%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	187697	48.18	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.36%
64) 1,2-Dichlorobenzene-d4	11.65	152	165942	57.35	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	114.70%

Target Compounds					Ovalue
5) Vinyl chloride	1.32	62	4085	1.446 ug/L	# 51

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV060620\
Data File : VV016617.D
Acq On : 07 Jun 2020 03:20
Operator : SY/MD
Sample : L2875-18
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 42 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
ETTW5

Quant Time: Jun 07 07:24:54 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060320WMA.M
Quant Title : VOC Analysis
QLast Update : Sun Jun 07 03:25:55 2020
Response via : Initial Calibration

