

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV060620\
 Data File : VV016625.D
 Acq On : 07 Jun 2020 07:17
 Operator : SY/MD
 Sample : L2872-03DL 10X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFEN5DL

Quant Time: Jun 07 07:54:51 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060320WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sun Jun 07 07:46:43 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	369425	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	340050	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	152147	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	108926	41.63	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	83.26%
7) Chloroethane-d5	1.57	69	77452	41.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	82.00%
11) 1,1-Dichloroethene-d2	2.12	63	148448	32.00	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.00%
21) 2-Butanone-d5	3.90	46	178364	106.61	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	106.61%
24) Chloroform-d	4.37	84	231718	47.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.38%
26) 1,2-Dichloroethane-d4	5.05	65	165398	50.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.60%
32) Benzene-d6	5.07	84	460290	50.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.06%
36) 1,2-Dichloropropane-d6	6.09	67	147734	52.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	104.10%
41) Toluene-d8	7.34	98	412953	49.92	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.84%
43) trans-1,3-Dichloropropene-	7.64	79	63218	45.70	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.40%
47) 2-Hexanone-d5	8.11	63	126698	104.23	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	104.23%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	182086	47.30	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.60%
64) 1,2-Dichlorobenzene-d4	11.65	152	154294	53.96	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	107.92%

Target Compounds					Ovalue
46) Tetrachloroethene	8.00	164	112357	55.532 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV060620\
Data File : VV016625.D
Acq On : 07 Jun 2020 07:17
Operator : SY/MD
Sample : L2872-03DL 10X
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 52 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFEN5DL

Quant Time: Jun 07 07:54:51 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060320WMA.M
Quant Title : VOC Analysis
QLast Update : Sun Jun 07 07:46:43 2020
Response via : Initial Calibration

