

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV060620\
 Data File : VV016587.D
 Acq On : 06 Jun 2020 14:05
 Operator : SY/MD
 Sample : L2895-07
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EW0J6

Quant Time: Jun 07 00:27:38 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060320WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Jun 06 23:47:35 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	380830	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	356312	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	169365	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	98231	36.42	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	72.84%
7) Chloroethane-d5	1.56	69	74891	38.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	76.92%
11) 1,1-Dichloroethene-d2	2.12	63	141173	29.52	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	59.04%#
21) 2-Butanone-d5	3.89	46	183603	106.45	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	106.45%
24) Chloroform-d	4.37	84	225681	44.58	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.16%
26) 1,2-Dichloroethane-d4	5.05	65	159413	47.03	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.06%
32) Benzene-d6	5.07	84	452561	47.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.82%
36) 1,2-Dichloropropane-d6	6.09	67	141908	47.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.44%
41) Toluene-d8	7.34	98	402629	46.45	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.90%
43) trans-1,3-Dichloropropene-	7.64	79	67267	46.41	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.82%
47) 2-Hexanone-d5	8.11	63	135773	106.60	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	106.60%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	192693	47.77	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.54%
64) 1,2-Dichlorobenzene-d4	11.65	152	166180	52.21	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.42%

Target Compounds


					Ovalue
5) Vinyl chloride	1.32	62	242968	83.062 ug/L	100
20) cis-1,2-Dichloroethene	3.93	96	442407	153.666 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV060620\
Data File : VV016587.D
Acq On : 06 Jun 2020 14:05
Operator : SY/MD
Sample : L2895-07
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EW0J6

Quant Time: Jun 07 00:27:38 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060320WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Jun 06 23:47:35 2020
Response via : Initial Calibration





#5

Vinyl chloride

Concen: 83.062 ug/L

RT: 1.32 min Scan# 71

Delta R.T. 0.00 min

Lab File: VV016587.D

Acq: 06 Jun 2020 14:05

Instrument :

MSVOA_V

ClientSampled :


EW0J6

Tot Ion: 62 Resp: 242968

Ion Ratio Lower Upper




62 100

64 32.4 22.7 42.1



Abundance Ion 62.00 (61.70 to 62.70): VV0

Ion 64.00 (63.70 to 64.70): VV0



#20

cis-1,2-Dichloroethene

Concen: 153.666 ug/L

RT: 3.93 min Scan# 884

Delta R.T. 0.00 min

Lab File: VV016587.D

Acq: 06 Jun 2020 14:05


Tgt Ion: 96 Resp: 442407

Ion Ratio Lower Upper

96 100

61 135.2 93.4 173.4

68 0.0 0.0 0.0



Abundance Ion 96.00 (95.70 to 96.70): VV0

Ion 61.00 (60.70 to 61.70): VV0

Ion 68.00 (67.70 to 68.70): VV0

