

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV060620\
 Data File : VV016628.D
 Acq On : 07 Jun 2020 08:33
 Operator : SY/MD
 Sample : L2861-17DL 4X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 55 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F9E62DL

Quant Time: Jun 08 06:21:42 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060320WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Jun 08 05:42:16 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	347375	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	324693	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	154536	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	107385	43.64	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	87.28%
7) Chloroethane-d5	1.56	69	76065	42.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	85.64%
11) 1,1-Dichloroethene-d2	2.12	63	145556	33.37	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.74%
21) 2-Butanone-d5	3.89	46	173107	110.03	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	110.03%
24) Chloroform-d	4.37	84	225338	48.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.60%
26) 1,2-Dichloroethane-d4	5.05	65	160840	52.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.04%
32) Benzene-d6	5.07	84	453430	52.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.26%
36) 1,2-Dichloropropane-d6	6.09	67	142151	52.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	104.90%
41) Toluene-d8	7.34	98	407554	51.60	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.20%
43) trans-1,3-Dichloropropene-	7.64	79	60500	45.81	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.62%
47) 2-Hexanone-d5	8.11	63	123167	106.12	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	106.12%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	183820	50.01	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	100.02%
64) 1,2-Dichlorobenzene-d4	11.65	152	164708	56.72	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	113.44%


Target Compounds					Ovalue
27) 1,2-Dichloroethane	5.15	62	204434	53.339 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV060620\
Data File : VV016628.D
Acq On : 07 Jun 2020 08:33
Operator : SY/MD
Sample : L2861-17DL 4X
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 55 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F9E62DL

Quant Time: Jun 08 06:21:42 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060320WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Jun 08 05:42:16 2020
Response via : Initial Calibration





#27
 1,2-Dichloroethane
 Concen: 53.339 ug/L
 RT: 5.15 min Scan# 1264
 Delta R.T. 0.00 min
 Lab File: VV016628.D
 Acq: 07 Jun 2020 08:33

Instrument :
 MSVOA_V
 ClientSampleId :
 F9E62DL

Tot Ion: 62 Resp: 204434
 Ion Ratio Lower Upper
 62 100
 98 9.2 6.9 10.3

