

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW060823\
 Data File : VW031447.D
 Acq On : 08 Jun 2023 14:19
 Operator : SY/MD
 Sample : 03077-13
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0FC2

Quant Time: Jun 09 05:11:22 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM060723WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jun 09 05:07:24 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.542	114	247581	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.789	117	250622	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.191	152	118492	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	72891	33.462	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	66.920%
7) Chloroethane-d5	1.532	69	68056	38.590	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	77.180%
11) 1,1-Dichloroethene-d2	2.063	65	38127	36.931	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.860%
21) 2-Butanone-d5	3.796	46	139897	88.866	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	88.870%
24) Chloroform-d	4.256	84	172624	41.661	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	83.320%
26) 1,2-Dichloroethane-d4	4.947	65	121608	43.749	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.500%
32) Benzene-d6	4.966	84	298059	40.282	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	80.560%
36) 1,2-Dichloropropane-d6	5.995	67	110476	42.954	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	85.900%
41) Toluene-d8	7.249	98	249985	36.778	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	73.560%#
43) trans-1,3-Dichloroprop...	7.558	79	50111	38.679	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	77.360%
47) 2-Hexanone-d5	8.034	63	64887	66.984	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	66.980%
56) 1,1,2,2-Tetrachloroeth...	10.159	84	133730	41.201	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	82.400%
66) 1,2-Dichlorobenzene-d4	11.567	152	101564	46.206	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.420%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV060823\
Data File : VV031447.D
Acq On : 08 Jun 2023 14:19
Operator : SY/MD
Sample : 03077-13
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0FC2

Quant Time: Jun 09 05:11:22 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM060723WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jun 09 05:07:24 2023
Response via : Initial Calibration

