

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV060920\
 Data File : VV016701.D
 Acq On : 09 Jun 2020 08:50
 Operator : SY/MD
 Sample : L2872-14
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFEP6

Quant Time: Jun 10 00:53:05 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060820WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jun 10 00:34:30 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	370318	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	349074	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	161748	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	102114	39.08	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	78.16%
7) Chloroethane-d5	1.56	69	75502	48.15	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	96.30%
11) 1,1-Dichloroethene-d2	2.12	63	142803	32.54	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.08%
21) 2-Butanone-d5	3.89	46	186526	96.45	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	96.45%
24) Chloroform-d	4.37	84	236556	44.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.04%
26) 1,2-Dichloroethane-d4	5.05	65	171128	47.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.70%
32) Benzene-d6	5.07	84	465955	46.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.62%
36) 1,2-Dichloropropane-d6	6.09	67	145260	46.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.62%
41) Toluene-d8	7.34	98	415743	45.02	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.04%
43) trans-1,3-Dichloropropene-	7.64	79	66316	40.59	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.18%
47) 2-Hexanone-d5	8.11	63	121472	88.83	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	88.83%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	192733	46.42	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.84%
64) 1,2-Dichlorobenzene-d4	11.65	152	167910	48.64	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.28%

Target Compounds					Ovalue
46) Tetrachloroethene	8.00	164	48862	22.429 ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV060920\
Data File : VV016701.D
Acq On : 09 Jun 2020 08:50
Operator : SY/MD
Sample : L2872-14
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFEP6

Quant Time: Jun 10 00:53:05 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060820WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jun 10 00:34:30 2020
Response via : Initial Calibration

