

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV060920\
 Data File : VV016731.D
 Acq On : 09 Jun 2020 20:48
 Operator : SY/MD
 Sample : L2914-20
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F9E73

Quant Time: Jun 10 04:50:20 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060820WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jun 10 03:42:58 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	346628	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	327460	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	159647	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	72274	29.55	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	59.10%#
7) Chloroethane-d5	1.56	69	57918	39.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	78.92%
11) 1,1-Dichloroethene-d2	2.12	63	110597	26.93	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	53.86%#
21) 2-Butanone-d5	3.89	46	169332	93.54	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.54%
24) Chloroform-d	4.37	84	205396	41.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	82.60%
26) 1,2-Dichloroethane-d4	5.05	65	149981	44.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.68%
32) Benzene-d6	5.07	84	390517	41.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	82.74%
36) 1,2-Dichloropropane-d6	6.09	67	126251	42.91	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	85.82%
41) Toluene-d8	7.34	98	349614	40.36	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	80.72%
43) trans-1,3-Dichloropropene-	7.64	79	59075	38.55	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	77.10%
47) 2-Hexanone-d5	8.11	63	105094	81.92	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	81.92%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	172760	44.35	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	88.70%
64) 1,2-Dichlorobenzene-d4	11.65	152	155541	45.65	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.30%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV060920\
Data File : VV016731.D
Acq On : 09 Jun 2020 20:48
Operator : SY/MD
Sample : L2914-20
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 36 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F9E73

Quant Time: Jun 10 04:50:20 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060820WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jun 10 03:42:58 2020
Response via : Initial Calibration

