

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV061019\
 Data File : VV011355.D
 Acq On : 10 Jun 2019 17:32
 Operator : SY/MD
 Sample : K3226-04DL 100X
 Misc : 25ML/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFCP3DL

Quant Time: Jun 11 02:34:51 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR060419WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Jun 11 01:32:35 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	154635	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	140157	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	57693	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	41438	3.54	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	70.80%
7) Chloroethane-d5	1.55	69	39397	4.04	ug/L	-0.02
Spiked Amount	5.000	Range	65 - 130	Recovery	=	80.80%
11) 1,1-Dichloroethene-d2	2.12	63	68890	2.94	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	58.80%#
20) 2-Butanone-d5	3.94	46	134804	51.10	ug/L	-0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	102.20%
24) Chloroform-d	4.40	84	91522	4.44	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.80%
26) 1,2-Dichloroethane-d4	5.08	65	52064	4.67	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.40%
32) Benzene-d6	5.09	84	179237	4.27	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.40%
36) 1,2-Dichloropropane-d6	6.12	67	57384	4.44	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	88.80%
41) Toluene-d8	7.36	98	153865	4.00	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.00%
43) trans-1,3-Dichloropropene-	7.66	79	16789	3.41	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	68.20%
46) 2-Hexanone-d5	8.13	63	101874	48.98	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	97.96%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	41161	4.67	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.40%
64) 1,2-Dichlorobenzene-d4	11.67	152	52794	4.64	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	92.80%

Target Compounds					Ovalue
22) cis-1,2-Dichloroethene	3.96	96	14470	1.198 ug/L	97
34) Trichloroethene	5.96	95	76995	6.683 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV061019\
Data File : VV011355.D
Acq On : 10 Jun 2019 17:32
Operator : SY/MD
Sample : K3226-04DL 100X
Misc : 25ML/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFCP3DL

Quant Time: Jun 11 02:34:51 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR060419WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Jun 11 01:32:35 2019
Response via : Initial Calibration

