

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV061020\
 Data File : VV016805.D
 Acq On : 11 Jun 2020 05:56
 Operator : SY/MD
 Sample : L2901-10
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 ETTT5

Quant Time: Jun 11 06:43:12 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060820WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jun 11 04:06:22 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	321901	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	312120	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	148796	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	90909	40.02	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	80.04%
7) Chloroethane-d5	1.56	69	64488	47.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	94.64%
11) 1,1-Dichloroethene-d2	2.12	63	127410	33.40	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.80%
21) 2-Butanone-d5	3.89	46	156979	93.38	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.38%
24) Chloroform-d	4.65	84	203	0.04	ug/L	0.27
Spiked Amount	50.000	Range	70 - 125	Recovery	=	0.08%#
26) 1,2-Dichloroethane-d4	5.05	65	149205	47.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.98%
32) Benzene-d6	5.07	84	394469	43.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.68%
36) 1,2-Dichloropropane-d6	6.09	67	124993	44.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	89.14%
41) Toluene-d8	7.34	98	359131	43.50	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.00%
43) trans-1,3-Dichloropropene-	7.64	79	58113	39.78	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	79.56%
47) 2-Hexanone-d5	8.11	63	96356	78.80	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	78.80%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	169300	45.60	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.20%
64) 1,2-Dichlorobenzene-d4	11.65	152	155510	48.97	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.94%


Target Compounds					Ovalue
48) 2-Hexanone	8.16	43	7100	2.691 ug/L	# 71


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV061020\
Data File : VV016805.D
Acq On : 11 Jun 2020 05:56
Operator : SY/MD
Sample : L2901-10
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 47 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
ETTT5

Quant Time: Jun 11 06:43:12 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060820WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jun 11 04:06:22 2020
Response via : Initial Calibration





#48
 2-Hexanone
 Concen: 2.691 ug/L
 RT: 8.16 min Scan# 2198
 Delta R.T. 0.00 min
 Lab File: VV016805.D
 Acq: 11 Jun 2020 05:56

Instrument :
 MSVOA_V
 ClientSampleId :
 ETTT5

Tot Ion:	43	Resp:	7100
Ion	Ratio	Lower	Upper
43	100		
58	33.0	43.1	64.7#
57	5.0	15.3	22.9#
100	3.9	10.0	15.0#

