

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV061020\
 Data File : VV016770.D
 Acq On : 10 Jun 2020 15:38
 Operator : SY/MD
 Sample : L2914-13DL 20X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F9E25DL

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060820WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.312	63	69	80	rVB	209358	218406	16.84%	2.050%
2	2.110	308	317	335	rVB	271294	401781	30.97%	3.772%
3	2.386	402	403	407	rVB4	1292	661	0.05%	0.006%
4	2.447	420	422	423	rBV2	1721	739	0.06%	0.007%
5	2.733	509	511	514	rBV3	1217	583	0.04%	0.005%
6	2.923	565	570	571	rBV5	1508	1349	0.10%	0.013%
7	3.084	614	620	624	rBV9	1332	1282	0.10%	0.012%
8	3.103	624	626	628	rVB3	1064	336	0.03%	0.003%
9	3.119	628	631	636	rVB6	1903	1408	0.11%	0.013%
10	3.145	636	639	640	rBV2	872	619	0.05%	0.006%
11	3.196	651	655	658	rBV5	1473	1341	0.10%	0.013%
12	3.257	669	674	675	rBV4	2072	1773	0.14%	0.017%
13	3.302	687	688	689	rBV	576	172	0.01%	0.002%
14	3.315	689	692	693	rBV3	807	447	0.03%	0.004%
15	3.383	709	713	714	rBV5	1566	807	0.06%	0.008%
16	3.421	721	725	727	rBV5	1198	974	0.08%	0.009%
17	3.438	727	730	731	rBV3	2015	1059	0.08%	0.010%
18	3.515	750	754	758	rVB6	2209	1727	0.13%	0.016%
19	3.569	767	771	775	rBV7	1422	1245	0.10%	0.012%
20	3.698	810	811	816	rBV5	1417	1103	0.09%	0.010%
21	3.897	860	873	899	rBV2	102270	304439	23.47%	2.858%
22	4.296	993	997	999	rBV4	1511	1219	0.09%	0.011%
23	4.370	1006	1020	1043	rVB	237302	581731	44.85%	5.461%
24	4.621	1096	1098	1100	rBV3	671	188	0.01%	0.002%
25	4.634	1100	1102	1104	rBV3	1123	647	0.05%	0.006%
26	4.666	1110	1112	1114	rBV3	1087	609	0.05%	0.006%
27	4.839	1164	1166	1168	rBV3	1018	443	0.03%	0.004%
28	4.904	1184	1186	1189	rBV3	1207	916	0.07%	0.009%
29	4.962	1202	1204	1206	rBV2	764	443	0.03%	0.004%
30	4.987	1209	1212	1214	rBV3	972	555	0.04%	0.005%
31	5.068	1218	1237	1243	rBV2	555792	1297174	100.00%	12.177%
32	5.489	1366	1368	1370	rBV3	1595	910	0.07%	0.009%
33	5.566	1390	1392	1395	rBV4	1244	827	0.06%	0.008%
34	5.637	1401	1414	1432	rBV	423188	842121	64.92%	7.905%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV061020\
 Data File : VV016770.D
 Acq On : 10 Jun 2020 15:38
 Operator : SY/MD
 Sample : L2914-13DL 20X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F9E25DL

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060820WMA.M
 Title : VOC Analysis

35	6.045	1539	1541	1542	rBV3	1524	598	0.05%	0.006%
36	6.090	1543	1555	1574	rVV	305822	616369	47.52%	5.786%
37	6.264	1607	1609	1614	rBV4	1662	1646	0.13%	0.015%
38	6.363	1637	1640	1642	rBV4	1514	1110	0.09%	0.010%
39	6.389	1646	1648	1651	rBV4	1619	833	0.06%	0.008%
40	6.405	1651	1653	1654	rBV3	865	310	0.02%	0.003%
41	6.582	1703	1708	1709	rBV5	1397	880	0.07%	0.008%
42	6.627	1719	1722	1723	rBV3	832	531	0.04%	0.005%
43	6.733	1752	1755	1756	rBV3	1572	775	0.06%	0.007%
44	6.820	1777	1782	1785	rBV6	2265	2199	0.17%	0.021%
45	6.843	1785	1789	1793	rVB7	1921	1567	0.12%	0.015%
46	6.868	1795	1797	1800	rBV4	1273	793	0.06%	0.007%
47	6.910	1808	1810	1811	rBV2	1020	321	0.02%	0.003%
48	6.933	1814	1817	1818	rBV3	1220	760	0.06%	0.007%
49	7.007	1829	1840	1856	rBV	179418	318972	24.59%	2.994%
50	7.212	1903	1904	1909	rBV3	1209	740	0.06%	0.007%
51	7.248	1913	1915	1916	rBV2	1503	716	0.06%	0.007%
52	7.334	1930	1942	1960	rBV	632232	1102360	84.98%	10.348%
53	7.640	2027	2037	2051	rBV	130555	219545	16.92%	2.061%
54	7.952	2131	2134	2135	rBV3	1609	891	0.07%	0.008%
55	7.974	2139	2141	2146	rVV6	1407	879	0.07%	0.008%
56	7.997	2146	2148	2149	rVV2	875	243	0.02%	0.002%
57	8.113	2173	2184	2212	rBV2	316424	642740	49.55%	6.033%
58	8.418	2275	2279	2281	rBV5	2058	1504	0.12%	0.014%
59	8.469	2293	2295	2300	rBV6	1270	1071	0.08%	0.010%
60	8.527	2312	2313	2316	rVB3	1102	466	0.04%	0.004%
61	8.605	2335	2337	2339	rBV3	1391	728	0.06%	0.007%
62	8.646	2348	2350	2353	rBV3	1220	736	0.06%	0.007%
63	8.695	2363	2365	2366	rBV2	797	263	0.02%	0.002%
64	8.746	2377	2381	2383	rBV4	1356	1128	0.09%	0.011%
65	8.871	2409	2420	2444	rBV	630185	1044225	80.50%	9.802%
66	9.035	2462	2471	2484	rVB	55058	90096	6.95%	0.846%
67	9.164	2507	2511	2522	rVB7	5979	8445	0.65%	0.079%
68	9.248	2534	2537	2538	rBV3	1328	536	0.04%	0.005%
69	9.283	2538	2548	2555	rBV4	14481	24922	1.92%	0.234%
70	9.402	2579	2585	2588	rBV8	5962	7918	0.61%	0.074%
71	9.682	2668	2672	2674	rBV4	1426	1074	0.08%	0.010%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV061020\
 Data File : VV016770.D
 Acq On : 10 Jun 2020 15:38
 Operator : SY/MD
 Sample : L2914-13DL 20X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F9E25DL

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060820WMA.M
 Title : VOC Analysis

72	9.723	2683	2685	2686	rBV2	2478	1142	0.09%	0.011%
73	9.807	2706	2711	2713	rBV5	3110	2860	0.22%	0.027%
74	9.984	2764	2766	2772	rBV6	1659	1361	0.10%	0.013%
75	10.093	2792	2800	2801	rBV8	2918	3185	0.25%	0.030%
76	10.238	2835	2845	2859	rVB	409870	647904	49.95%	6.082%
77	10.617	2961	2963	2966	rVB4	1597	629	0.05%	0.006%
78	10.707	2988	2991	2992	rBV2	2394	1198	0.09%	0.011%
79	10.984	3074	3077	3079	rBV3	2188	1660	0.13%	0.016%
80	11.270	3155	3166	3182	rBV	702739	1072924	82.71%	10.072%
81	11.485	3231	3233	3236	rVB3	2193	998	0.08%	0.009%
82	11.505	3236	3239	3243	rBV6	1592	1079	0.08%	0.010%
83	11.543	3243	3251	3252	rBV8	3276	3793	0.29%	0.036%
84	11.646	3271	3283	3304	rBV	727574	1134828	87.48%	10.653%
85	12.170	3444	3446	3450	rBV5	1059	581	0.04%	0.005%
86	12.222	3460	3462	3464	rBV3	1280	734	0.06%	0.007%
87	12.682	3601	3605	3606	rBV3	1244	880	0.07%	0.008%
88	12.846	3651	3656	3659	rBV7	1805	1565	0.12%	0.015%
89	13.083	3728	3730	3732	rBV3	1242	599	0.05%	0.006%
90	13.122	3740	3742	3743	rBV2	1120	506	0.04%	0.005%
91	13.186	3756	3762	3763	rBV4	1833	1411	0.11%	0.013%
92	13.575	3881	3883	3884	rBV2	1067	371	0.03%	0.003%
93	13.733	3930	3932	3934	rBV3	1520	591	0.05%	0.006%
94	13.890	3979	3981	3985	rVB5	967	340	0.03%	0.003%
95	14.035	4023	4026	4031	rBV7	1952	1998	0.15%	0.019%
96	14.254	4092	4094	4099	rVB6	1409	858	0.07%	0.008%

Sum of corrected areas: 10652919

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV061020\
Data File : VV016770.D
Acq On : 10 Jun 2020 15:38
Operator : SY/MD
Sample : L2914-13DL 20X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F9E25DL

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060820WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV061020\
Data File : VV016770.D
Acq On : 10 Jun 2020 15:38
Operator : SY/MD
Sample : L2914-13DL 20X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F9E25DL

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060820WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc