

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV061025\
 Data File : VV038779.D
 Acq On : 10 Jun 2025 13:50
 Operator : SY/MD
 Sample : Q2117-05
 Misc : 5.00g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH/B
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 MDL-MED-SOIL-QT2-2025-03

Quant Time: Jun 10 14:47:21 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM060925WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jun 10 14:44:52 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	515701	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.776	117	539620	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.175	152	245148	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.291	65	194877	45.439	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	90.880%	
7) Chloroethane-d5	1.542	69	178804	45.547	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	91.100%	
11) 1,1-Dichloroethene-d2	2.069	65	95680	45.327	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	90.660%	
21) 2-Butanone-d5	3.783	46	349380	104.457	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	104.460%	
24) Chloroform-d	4.249	84	430691	47.138	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	94.280%	
26) 1,2-Dichloroethane-d4	4.941	65	284387	53.316	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	106.640%	
32) Benzene-d6	4.960	84	828918	48.686	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	97.380%	
36) 1,2-Dichloropropane-d6	5.986	67	285048	50.409	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	100.820%	
41) Toluene-d8	7.236	98	703442	46.789	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	93.580%	
43) trans-1,3-Dichloroprop...	7.548	79	119809	48.584	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	97.160%	
47) 2-Hexanone-d5	8.014	63	246826	105.209	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	105.210%	
56) 1,1,2,2-Tetrachloroeth...	10.140	84	410436	48.918	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	97.840%	
66) 1,2-Dichlorobenzene-d4	11.548	152	246376	51.784	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	103.560%	
Target Compounds						
					Qvalue	
2) Dichlorodifluoromethane	1.118	85	13109	2.164	ug/L	98
3) Chloromethane	1.227	50	13689	2.235	ug/L	84
5) Vinyl chloride	1.294	62	14338	2.265	ug/L #	67
6) Bromomethane	1.497	94	7905	2.515	ug/L	91
8) Chloroethane	1.558	64	9837	2.588	ug/L	99
9) Trichlorofluoromethane	1.725	101	18867	2.259	ug/L	98
10) 1,1,2-Trichloro-1,2,2-...	2.079	101	14670	2.968	ug/L #	84
12) 1,1-Dichloroethene	2.079	96	12984	2.914	ug/L #	1
13) Acetone	2.124	43	15545	6.892	ug/L	98
14) Carbon disulfide	2.249	76	30949	2.272	ug/L	96
17) trans-1,2-Dichloroethene	2.709	96	9544	2.130	ug/L	94
18) Methyl tert-butyl Ether	2.712	73	27130	2.010	ug/L #	91
19) 1,1-Dichloroethane	3.124	63	22337	2.399	ug/L	91
20) cis-1,2-Dichloroethene	3.822	96	10393	2.160	ug/L	90
23) Bromochloromethane	4.166	128	6222	2.422	ug/L	93
30) 1,1,1-Trichloroethane	4.516	97	18076	2.277	ug/L #	84
31) Carbon tetrachloride	4.744	117	14965	2.172	ug/L	98
33) Benzene	5.015	78	43441	2.289	ug/L	100
34) Trichloroethene	5.847	95	10955	2.177	ug/L	90

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV061025\
 Data File : VV038779.D
 Acq On : 10 Jun 2025 13:50
 Operator : SY/MD
 Sample : Q2117-05
 Misc : 5.00g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH/B
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 MDL-MED-SOIL-QT2-2025-03

Quant Time: Jun 10 14:47:21 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM060925WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jun 10 14:44:52 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
37) 1,2-Dichloropropane	6.098	63	7027	1.285	ug/L #	94
38) Bromodichloromethane	6.442	83	16511	2.327	ug/L	97
39) cis-1,3-Dichloropropene	6.960	75	14975	1.906	ug/L	94
40) 4-Methyl-2-pentanone	7.159	43	28060	3.753	ug/L #	88
42) Toluene	7.320	91	41817	2.134	ug/L	98
44) trans-1,3-Dichloropropene	7.590	75	14922	1.968	ug/L	94
45) 1,1,2-Trichloroethane	7.776	97	12388	2.311	ug/L	95
46) Tetrachloroethene	7.905	164	8361	2.260	ug/L	91
48) 2-Hexanone	8.079	43	28872	5.216	ug/L #	94
49) Dibromochloromethane	8.172	129	12766	2.345	ug/L	97
50) 1,2-Dibromoethane	8.288	107	12875	2.337	ug/L #	95
51) Chlorobenzene	8.809	112	28911	2.186	ug/L	94
52) Ethylbenzene	8.947	91	39664	1.879	ug/L	95
53) m,p-Xylene	9.075	106	12383	1.598	ug/L	92
54) o-Xylene	9.474	106	13103	1.748	ug/L	100
55) Styrene	9.500	104	19412	1.487	ug/L	97
57) 1,1,2,2-Tetrachloroethane	10.169	83	23427	2.648	ug/L	93
59) Bromoform	9.664	173	8637	2.525	ug/L #	37
60) Isopropylbenzene	9.860	105	34161	1.956	ug/L	98
61) 1,2,3-Trichloropropane	10.201	75	15276	2.550	ug/L	98
62) 1,3,5-Trimethylbenzene	10.471	105	24132	1.776	ug/L	99
63) 1,2,4-Trimethylbenzene	10.847	105	23771	1.771	ug/L	100
64) 1,3-Dichlorobenzene	11.114	146	17873	2.142	ug/L	86
65) 1,4-Dichlorobenzene	11.198	146	21424	2.386	ug/L	91
67) 1,2-Dichlorobenzene	11.567	146	21027	2.495	ug/L	90
68) 1,2-Dibromo-3-chloropr...	12.358	75	4966	2.900	ug/L #	72
69) 1,3,5-Trichlorobenzene	12.577	180	12777	2.316	ug/L	98
70) 1,2,4-trichlorobenzene	13.194	180	9667	2.050	ug/L	97
71) Naphthalene	13.435	128	29470	1.759	ug/L	98
72) 1,2,3-Trichlorobenzene	13.673	180	9860	2.004	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV061025\
Data File : VV038779.D
Acq On : 10 Jun 2025 13:50
Operator : SY/MD
Sample : Q2117-05
Misc : 5.00g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH/B
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
MDL-MED-SOIL-QT2-2025-03

Quant Time: Jun 10 14:47:21 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM060925WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jun 10 14:44:52 2025
Response via : Initial Calibration









#2
Dichlorodifluoromethane
Concen: 2.164 ug/L
RT: 1.118 min Scan# 2
Delta R.T. 0.000 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50




Instrument : MSVOA_V
ClientSampleId : MDL-MED-SOIL-QT2-2025-03


Tgt Ion: 85 Resp: 13109
Ion Ratio Lower Upper
85 100
87 31.1 25.8 38.6



#3
Chloromethane
Concen: 2.235 ug/L
RT: 1.227 min Scan# 58
Delta R.T. 0.000 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50

Tgt Ion: 50 Resp: 13689
Ion Ratio Lower Upper
50 100
52 41.3 22.7 42.3









#5
 Vinyl chloride
 Concen: 2.265 ug/L
 RT: 1.294 min Scan# 79
 Delta R.T. 0.000 min
 Lab File: VV038779.D
 Acq: 10 Jun 2025 13:50




Instrument :
 MSVOA_V
 ClientSampleId :
 MDL-MED-SOIL-QT2-2025-03


Tgt Ion: 62 Resp: 14338
 Ion Ratio Lower Upper
 62 100
 64 51.0 22.8 42.4#



#6
 Bromomethane
 Concen: 2.515 ug/L
 RT: 1.497 min Scan# 142
 Delta R.T. 0.000 min
 Lab File: VV038779.D
 Acq: 10 Jun 2025 13:50

Tgt Ion: 94 Resp: 7905
 Ion Ratio Lower Upper
 94 100
 96 85.8 66.1 122.8









#8
Chloroethane
Concen: 2.588 ug/L
RT: 1.558 min Scan# 1
Delta R.T. 0.000 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50




Instrument : MSVOA_V
ClientSampleId : MDL-MED-SOIL-QT2-2025-03


Tgt Ion: 64 Resp: 9837
Ion Ratio Lower Upper
64 100
66 32.6 22.3 41.5



#9
Trichlorofluoromethane
Concen: 2.259 ug/L
RT: 1.725 min Scan# 213
Delta R.T. 0.000 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50

Tgt Ion: 101 Resp: 18867
Ion Ratio Lower Upper
101 100
103 66.4 51.7 77.5





#10

1,1,2-Trichloro-1,2,2-trifluoroethane

Concen: 2.968 ug/L

RT: 2.079 min Scan# 323

Delta R.T. 0.000 min

Lab File: VV038779.D

Acq: 10 Jun 2025 13:50

Instrument :

MSVOA_V

ClientSampleId :

MDL-MED-SOIL-QT2-2025-03





Tgt Ion: 101 Resp: 14670

Ion Ratio Lower Upper

101 100

85 35.0 34.7 52.1

151 53.9 55.3 82.9#



#12

1,1-Dichloroethene

Concen: 2.914 ug/L

RT: 2.079 min Scan# 323

Delta R.T. 0.000 min

Lab File: VV038779.D

Acq: 10 Jun 2025 13:50




Tgt Ion: 96 Resp: 12984


Ion Ratio Lower Upper

96 100

61 334.7 120.9 224.5#

63 1694.9 110.9 205.9#









#13
Acetone
Concen: 6.892 ug/L
RT: 2.124 min Scan# 335
Delta R.T. 0.007 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50




Instrument : MSVOA_V
ClientSampleId : MDL-MED-SOIL-QT2-2025-03


Tgt Ion: 43 Resp: 15545
Ion Ratio Lower Upper
43 100
58 35.0 0.0 67.2



#14
Carbon disulfide
Concen: 2.272 ug/L
RT: 2.249 min Scan# 376
Delta R.T. 0.000 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50

Tgt Ion: 76 Resp: 30949
Ion Ratio Lower Upper
76 100
78 10.6 7.4 11.0









#17
trans-1,2-Dichloroethene
Concen: 2.130 ug/L
RT: 2.709 min Scan# 517
Delta R.T. 0.007 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50




Instrument : MSVOA_V
ClientSampleId : MDL-MED-SOIL-QT2-2025-03


Tgt Ion:	96	Resp:	9544
Ion	Ratio	Lower	Upper
96	100		
61	141.3	95.7	177.7
98	58.6	46.4	86.2



#18
Methyl tert-butyl Ether
Concen: 2.010 ug/L
RT: 2.712 min Scan# 520
Delta R.T. 0.003 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50

Tgt Ion:	73	Resp:	27130
Ion	Ratio	Lower	Upper
73	100		
43	23.5	14.7	22.1#
57	25.5	17.7	26.5









#19
1,1-Dichloroethane
Concen: 2.399 ug/L
RT: 3.124 min Scan# 648
Delta R.T. 0.007 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50




Instrument : MSVOA_V
ClientSampleId : MDL-MED-SOIL-QT2-2025-03


Tgt Ion:	63	Resp:	22337
Ion	Ratio	Lower	Upper
63	100		
65	27.5	22.6	42.0
83	10.0	9.8	18.2



#20
cis-1,2-Dichloroethene
Concen: 2.160 ug/L
RT: 3.822 min Scan# 865
Delta R.T. 0.003 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50

Tgt Ion:	96	Resp:	10393
Ion	Ratio	Lower	Upper
96	100		
61	128.5	83.5	155.1
98	54.3	44.6	82.8









#23
Bromochloromethane
Concen: 2.422 ug/L
RT: 4.166 min Scan# 912
Delta R.T. 0.016 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50




Instrument :
MSVOA_V
ClientSampleId :
MDL-MED-SOIL-QT2-2025-03


Tgt Ion:	128	Resp:	6222
Ion	Ratio	Lower	Upper
128	100		
49	155.8	106.7	198.3
130	121.5	93.2	173.2
51	57.0	40.2	60.4



#30
1,1,1-Trichloroethane
Concen: 2.277 ug/L
RT: 4.516 min Scan# 1081
Delta R.T. 0.007 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50

Tgt Ion:	97	Resp:	18076
Ion	Ratio	Lower	Upper
97	100		
99	64.0	52.3	78.5
61	18.6	33.6	50.4#









#31
Carbon tetrachloride
Concen: 2.172 ug/L
RT: 4.744 min Scan# 1
Delta R.T. 0.010 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50




Instrument :
MSVOA_V
ClientSampleId :
MDL-MED-SOIL-QT2-2025-03


Tgt Ion:117 Resp: 14965
Ion Ratio Lower Upper
117 100
119 99.2 77.7 116.5



#33
Benzene
Concen: 2.289 ug/L
RT: 5.015 min Scan# 1236
Delta R.T. 0.007 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50

Tgt Ion: 78 Resp: 43441









#34
Trichloroethene
Concen: 2.177 ug/L
RT: 5.847 min Scan# 1
Delta R.T. 0.019 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50




Instrument :
MSVOA_V
ClientSampleId :
MDL-MED-SOIL-QT2-2025-03


Tgt Ion:	95	Resp:	10955
Ion	Ratio	Lower	Upper
95	100		
97	71.0	45.6	84.8
132	109.9	67.6	125.6
130	109.2	70.8	131.6



#37
1,2-Dichloropropane
Concen: 1.285 ug/L
RT: 6.098 min Scan# 1573
Delta R.T. 0.013 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50

Tgt Ion:	63	Resp:	7027
Ion	Ratio	Lower	Upper
63	100		
112	2.8	3.8	5.6#





#38

Bromodichloromethane

Concen: 2.327 ug/L

RT: 6.442 min Scan# 1

Delta R.T. 0.016 min

Lab File: VV038779.D

Acq: 10 Jun 2025 13:50

Instrument :

MSVOA_V

ClientSampleId :

MDL-MED-SOIL-QT2-2025-03





Tgt Ion: 83 Resp: 16511

Ion Ratio Lower Upper

83 100

85 61.8 44.9 83.5

127 9.4 6.8 10.2



#39

cis-1,3-Dichloropropene

Concen: 1.906 ug/L

RT: 6.960 min Scan# 1841

Delta R.T. 0.013 min

Lab File: VV038779.D




Acq: 10 Jun 2025 13:50


Tgt Ion: 75 Resp: 14975

Ion Ratio Lower Upper

75 100

77 34.8 21.9 40.7









#40
4-Methyl-2-pentanone
Concen: 3.753 ug/L
RT: 7.159 min Scan# 1
Delta R.T. 0.013 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50




Instrument : MSVOA_V
ClientSampleId : MDL-MED-SOIL-QT2-2025-03


Tgt Ion	Ratio	Lower	Upper
43	100		
58	36.1	32.7	49.1
100	7.9	13.7	20.5



#42
Toluene
Concen: 2.134 ug/L
RT: 7.320 min Scan# 1953
Delta R.T. 0.013 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50

Tgt Ion	Ratio	Lower	Upper
91	100		
92	60.3	41.2	76.4









#44
trans-1,3-Dichloropropene
Concen: 1.968 ug/L
RT: 7.590 min Scan# 2037
Delta R.T. 0.019 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50




Instrument : MSVOA_V
ClientSampleId : MDL-MED-SOIL-QT2-2025-03


Tgt Ion: 75 Resp: 14922
Ion Ratio Lower Upper
75 100
77 29.1 22.7 42.1



#45
1,1,2-Trichloroethane
Concen: 2.311 ug/L
RT: 7.776 min Scan# 2095
Delta R.T. 0.016 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50

Tgt Ion: 97 Resp: 12388
Ion Ratio Lower Upper
97 100
99 62.0 43.6 81.0
83 80.1 60.5 112.5
85 58.3 38.0 70.6









#46
Tetrachloroethene
Concen: 2.260 ug/L
RT: 7.905 min Scan# 2135
Delta R.T. 0.010 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50




Instrument : MSVOA_V
ClientSampleId : MDL-MED-SOIL-QT2-2025-03


Tgt Ion:	164	Resp:	8361
Ion	Ratio	Lower	Upper
164	100		
129	93.6	69.2	128.4
131	86.3	63.1	117.3
166	111.1	89.7	166.5



#48
2-Hexanone
Concen: 5.216 ug/L
RT: 8.079 min Scan# 2189
Delta R.T. 0.016 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50

Tgt Ion:	43	Resp:	28872
Ion	Ratio	Lower	Upper
43	100		
58	62.3	48.0	72.0
57	16.8	15.5	23.3
100	6.8	11.0	16.4#









#49
 Dibromochloromethane
 Concen: 2.345 ug/L
 RT: 8.172 min Scan# 217
 Delta R.T. 0.007 min
 Lab File: VV038779.D
 Acq: 10 Jun 2025 13:50




Instrument : MSVOA_V
 ClientSampleId : MDL-MED-SOIL-QT2-2025-03


Tgt Ion:129 Resp: 12766
 Ion Ratio Lower Upper
 129 100
 127 74.6 53.8 100.0



#50
 1,2-Dibromoethane
 Concen: 2.337 ug/L
 RT: 8.288 min Scan# 2254
 Delta R.T. 0.016 min
 Lab File: VV038779.D
 Acq: 10 Jun 2025 13:50

Tgt Ion:107 Resp: 12875
 Ion Ratio Lower Upper
 107 100
 109 89.6 66.1 122.7
 188 4.5 2.6 3.8#









#51
Chlorobenzene
Concen: 2.186 ug/L
RT: 8.809 min Scan# 2415
Delta R.T. 0.003 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50




Instrument : MSVOA_V
ClientSampleId : MDL-MED-SOIL-QT2-2025-03


Tgt Ion:	112	Resp:	28911
Ion	Ratio	Lower	Upper
112	100		
114	33.5	21.9	40.7
77	61.4	45.4	68.0



#52
Ethylbenzene
Concen: 1.879 ug/L
RT: 8.947 min Scan# 2459
Delta R.T. 0.010 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50

Tgt Ion:	91	Resp:	39664
Ion	Ratio	Lower	Upper
91	100		
106	33.7	21.6	40.0









#53
m,p-Xylene
Concen: 1.598 ug/L
RT: 9.075 min Scan# 21
Delta R.T. 0.013 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50




Instrument : MSVOA_V
ClientSampleId : MDL-MED-SOIL-QT2-2025-03


Tgt Ion:106 Resp: 12383
Ion Ratio Lower Upper
106 100
91 191.3 142.6 264.8



#54
o-Xylene
Concen: 1.748 ug/L
RT: 9.474 min Scan# 2623
Delta R.T. 0.007 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50

Tgt Ion:106 Resp: 13103
Ion Ratio Lower Upper
106 100
91 216.0 151.1 280.7









#55
Styrene
Concen: 1.487 ug/L
RT: 9.500 min Scan# 2
Delta R.T. 0.016 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50




Instrument : MSVOA_V
ClientSampleId : MDL-MED-SOIL-QT2-2025-03


Tgt Ion: 104 Resp: 19412
Ion Ratio Lower Upper
104 100
78 40.4 29.7 55.1



#57
1,1,2,2-Tetrachloroethane
Concen: 2.648 ug/L
RT: 10.169 min Scan# 2839
Delta R.T. 0.003 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50

Tgt Ion: 83 Resp: 23427
Ion Ratio Lower Upper
83 100
85 70.3 44.7 82.9
131 10.6 8.0 12.0









#59
Bromoform
Concen: 2.525 ug/L
RT: 9.664 min Scan# 21
Delta R.T. 0.010 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50




Instrument : MSVOA_V
ClientSampleId : MDL-MED-SOIL-QT2-2025-03


Tgt Ion:	173	Resp:	8637
Ion	Ratio	Lower	Upper
173	100		
175	1.0	38.8	58.2#
254	1.0	6.9	10.3#



#60
Isopropylbenzene
Concen: 1.956 ug/L
RT: 9.860 min Scan# 2743
Delta R.T. 0.003 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50

Tgt Ion:	105	Resp:	34161
Ion	Ratio	Lower	Upper
105	100		
120	25.2	21.0	31.4
77	16.2	12.2	18.4









#61
1,2,3-Trichloropropane
Concen: 2.550 ug/L
RT: 10.201 min Scan# 21
Delta R.T. 0.003 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50




Instrument : MSVOA_V
ClientSampleId : MDL-MED-SOIL-QT2-2025-03


Tgt Ion:	75	Resp:	15276
Ion	Ratio	Lower	Upper
75	100		
77	31.1	25.8	38.6
110	41.6	32.2	48.4



#62
1,3,5-Trimethylbenzene
Concen: 1.776 ug/L
RT: 10.471 min Scan# 2933
Delta R.T. 0.003 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50

Tgt Ion:	105	Resp:	24132
Ion	Ratio	Lower	Upper
105	100		
120	49.9	39.1	58.7









#63
1,2,4-Trimethylbenzene
Concen: 1.771 ug/L
RT: 10.847 min Scan# 3133
Delta R.T. 0.007 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50




Instrument : MSVOA_V
ClientSampleId : MDL-MED-SOIL-QT2-2025-03


Tgt Ion:105 Resp: 23771
Ion Ratio Lower Upper
105 100
120 45.8 36.6 55.0



#64
1,3-Dichlorobenzene
Concen: 2.142 ug/L
RT: 11.114 min Scan# 3133
Delta R.T. 0.010 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50

Tgt Ion:146 Resp: 17873
Ion Ratio Lower Upper
146 100
111 48.7 27.8 51.6
148 75.5 45.1 83.7





#65

1,4-Dichlorobenzene

Concen: 2.386 ug/L

RT: 11.198 min Scan# 3159

Delta R.T. 0.000 min

Lab File: VV038779.D

Acq: 10 Jun 2025 13:50

Instrument :

MSVOA_V

ClientSampleId :

MDL-MED-SOIL-QT2-2025-03





Tgt Ion:146 Resp: 21424

Ion Ratio Lower Upper

146 100

111 46.0 27.6 51.4

148 70.1 44.9 83.3



#67

1,2-Dichlorobenzene

Concen: 2.495 ug/L

RT: 11.567 min Scan# 3274

Delta R.T. 0.000 min

Lab File: VV038779.D

Acq: 10 Jun 2025 13:50




Tgt Ion:146 Resp: 21027


Ion Ratio Lower Upper

146 100

111 47.1 34.2 51.2

148 72.5 50.5 75.7









#68
1,2-Dibromo-3-chloropropane
Concen: 2.900 ug/L
RT: 12.358 min Scan# 3520
Delta R.T. 0.007 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50




Instrument : MSVOA_V
ClientSampleId : MDL-MED-SOIL-QT2-2025-03


Tgt Ion:	75	Resp:	4966
Ion	Ratio	Lower	Upper
75	100		
155	57.1	66.8	100.2#
157	77.2	83.4	125.2#



#69
1,3,5-Trichlorobenzene
Concen: 2.316 ug/L
RT: 12.577 min Scan# 3588
Delta R.T. 0.007 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50

Tgt Ion:	180	Resp:	12777
Ion	Ratio	Lower	Upper
180	100		
182	93.9	76.2	114.4
184	31.5	23.8	35.6
145	28.8	24.8	37.2









#70
1,2,4-trichlorobenzene
Concen: 2.050 ug/L
RT: 13.194 min Scan# 3
Delta R.T. 0.007 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50




Instrument : MSVOA_V
ClientSampleId : MDL-MED-SOIL-QT2-2025-03


Tgt Ion:	180	Resp:	9667
Ion	Ratio	Lower	Upper
180	100		
182	94.4	76.2	114.2
145	35.6	24.7	37.1



#71
Naphthalene
Concen: 1.759 ug/L
RT: 13.435 min Scan# 3855
Delta R.T. 0.010 min
Lab File: VV038779.D
Acq: 10 Jun 2025 13:50

Tgt Ion:	128	Resp:	29470
Ion	Ratio	Lower	Upper
128	100		
127	12.0	10.1	15.1
129	11.5	8.6	12.8





#72
 1,2,3-Trichlorobenzene
 Concen: 2.004 ug/L
 RT: 13.673 min Scan# 3
 Delta R.T. 0.007 min
 Lab File: VV038779.D
 Acq: 10 Jun 2025 13:50

Instrument : MSVOA_V
 ClientSampleId : MDL-MED-SOIL-QT2-2025-03

Tgt Ion:	180	Resp:	9860
Ion	Ratio	Lower	Upper
180	100		
182	93.4	75.8	113.6
145	35.5	27.1	40.7

