

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV061120\
 Data File : VV016813.D
 Acq On : 11 Jun 2020 09:46
 Operator : SY/MD
 Sample : VV0611WBL01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK80

Quant Time: Jun 12 01:42:12 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060820WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jun 12 01:27:40 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	317138	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	298323	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	139177	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	95436	42.65	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.30%
7) Chloroethane-d5	1.57	69	69917	52.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	104.14%
11) 1,1-Dichloroethene-d2	2.12	63	131290	34.94	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.88%
21) 2-Butanone-d5	3.89	46	150832	91.07	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	91.07%
24) Chloroform-d	4.37	84	209053	45.94	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.88%
26) 1,2-Dichloroethane-d4	5.05	65	150133	48.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.02%
32) Benzene-d6	5.07	84	409467	47.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.22%
36) 1,2-Dichloropropane-d6	6.09	67	127477	47.56	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.12%
41) Toluene-d8	7.33	98	371488	47.08	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.16%
43) trans-1,3-Dichloropropene-	7.64	79	58311	41.77	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.54%
47) 2-Hexanone-d5	8.10	63	89677	76.73	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	76.73%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	164418	46.33	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.66%
64) 1,2-Dichlorobenzene-d4	11.65	152	152361	51.30	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.60%

Target Compounds					Qvalue
13) Acetone	2.17	43	3588	3.288 ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV061120\
Data File : VV016813.D
Acq On : 11 Jun 2020 09:46
Operator : SY/MD
Sample : VV0611WBL01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK80

Quant Time: Jun 12 01:42:12 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060820WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jun 12 01:27:40 2020
Response via : Initial Calibration

