

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV061220\
 Data File : VV016904.D
 Acq On : 13 Jun 2020 02:07
 Operator : SY/MD
 Sample : L2914-21
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Jun 13 06:29:05 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060820WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Jun 13 06:09:05 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	373189	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	347318	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	162477	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	94292	35.81	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	71.62%
7) Chloroethane-d5	1.57	69	53918	34.12	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	68.24%#
11) 1,1-Dichloroethene-d2	2.12	63	141206	31.93	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.86%
21) 2-Butanone-d5	3.90	46	179843	92.27	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	92.27%
24) Chloroform-d	4.37	84	236449m	44.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.32%
26) 1,2-Dichloroethane-d4	5.06	65	174319	47.86	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.72%
32) Benzene-d6	5.07	84	448239	44.77	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.54%
36) 1,2-Dichloropropane-d6	6.09	67	141054	45.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	90.40%
41) Toluene-d8	7.34	98	410508	44.68	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.36%
43) trans-1,3-Dichloropropene-	7.64	79	70094	43.12	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.24%
47) 2-Hexanone-d5	8.11	63	102777	75.54	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	75.54%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	173606	42.02	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	84.04%
64) 1,2-Dichlorobenzene-d4	11.65	152	167532	48.32	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.64%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV061220\
Data File : VV016904.D
Acq On : 13 Jun 2020 02:07
Operator : SY/MD
Sample : L2914-21
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 36 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Jun 13 06:29:05 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060820WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Jun 13 06:09:05 2020
Response via : Initial Calibration

