

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV061523\
 Data File : VV031546.D
 Acq On : 15 Jun 2023 22:19
 Operator : SY/MD
 Sample : 03249-20
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EXYW0

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM061423WMA.M
 Title : VOC Analysis

Signal : TIC: VV031546.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.182	40	44	53	rBV2	4087	5867	0.14%	0.037%
2	1.281	69	75	95	rVB	91432	98948	2.37%	0.628%
3	1.535	147	154	167	rVB	88306	105984	2.54%	0.672%
4	1.674	192	197	204	rBV	7173	8357	0.20%	0.053%
5	1.719	205	211	217	rBV	11134	15199	0.36%	0.096%
6	2.076	308	322	348	rBV2	756784	1216148	29.14%	7.714%
7	2.458	431	441	449	rVB5	1298	2084	0.05%	0.013%
8	2.706	507	518	535	rBV	22242	40072	0.96%	0.254%
9	2.809	546	550	553	rBV3	284	273	0.01%	0.002%
10	2.912	579	582	587	rVB2	331	251	0.01%	0.002%
11	3.043	620	623	627	rVB2	340	319	0.01%	0.002%
12	3.121	627	647	673	rBV	534074	1112903	26.67%	7.059%
13	3.269	690	693	697	rBV3	574	405	0.01%	0.003%
14	3.487	756	761	764	rVV3	213	248	0.01%	0.002%
15	3.548	773	780	784	rBV2	345	413	0.01%	0.003%
16	3.613	795	800	802	rBV3	263	241	0.01%	0.002%
17	3.693	820	825	829	rBV3	325	354	0.01%	0.002%
18	3.822	848	865	909	rBV2	276512	791784	18.97%	5.022%
19	4.182	973	977	981	rBV3	365	352	0.01%	0.002%
20	4.259	985	1001	1026	rBV2	148055	410495	9.84%	2.604%
21	4.523	1061	1083	1115	rBV	1630859	4173580	100.00%	26.474%
22	4.963	1203	1220	1248	rBV2	341138	910359	21.81%	5.775%
23	5.349	1338	1340	1343	rVB	435	235	0.01%	0.001%
24	5.381	1347	1350	1357	rBV2	293	234	0.01%	0.001%
25	5.542	1387	1400	1431	rBV	303344	625031	14.98%	3.965%
26	5.780	1473	1474	1480	rVB3	361	233	0.01%	0.001%
27	5.841	1480	1493	1518	rBV	304788	610512	14.63%	3.873%
28	5.995	1528	1541	1569	rVB	207382	425942	10.21%	2.702%
29	6.233	1611	1615	1618	rVB2	324	276	0.01%	0.002%
30	6.326	1641	1644	1649	rBV3	298	279	0.01%	0.002%
31	6.387	1658	1663	1667	rVB2	290	261	0.01%	0.002%
32	6.577	1719	1722	1724	rBV	380	339	0.01%	0.002%
33	6.773	1779	1783	1789	rVB3	361	343	0.01%	0.002%
34	6.834	1796	1802	1803	rBV	472	322	0.01%	0.002%
35	6.921	1816	1829	1852	rBV	104002	197642	4.74%	1.254%
36	7.114	1885	1889	1890	rBV2	310	232	0.01%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW061523\
 Data File : VW031546.D
 Acq On : 15 Jun 2023 22:19
 Operator : SY/MD
 Sample : 03249-20
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EXYW0

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM061423WMA.M
 Title : VOC Analysis

37	7.140	1893	1897	1900	rVB3	389	305	0.01%	0.002%
38	7.182	1904	1910	1916	rBV4	612	774	0.02%	0.005%
39	7.249	1919	1931	1953	rBV	372734	654890	15.69%	4.154%
40	7.558	2018	2027	2057	rBV	75713	140069	3.36%	0.888%
41	7.712	2071	2075	2079	rBV4	446	380	0.01%	0.002%
42	7.780	2087	2096	2111	rBV4	13082	23201	0.56%	0.147%
43	7.911	2119	2137	2163	rBV	619864	1059495	25.39%	6.721%
44	8.034	2165	2175	2208	rVV	237634	421380	10.10%	2.673%
45	8.474	2309	2312	2314	rBV3	347	242	0.01%	0.002%
46	8.532	2327	2330	2335	rVV3	275	321	0.01%	0.002%
47	8.789	2399	2410	2444	rBV	468825	763986	18.31%	4.846%
48	8.966	2463	2465	2475	rVB5	725	877	0.02%	0.006%
49	9.011	2475	2479	2481	rBV4	294	231	0.01%	0.001%
50	9.085	2499	2502	2503	rBV2	669	381	0.01%	0.002%
51	9.297	2565	2568	2572	rBV2	364	312	0.01%	0.002%
52	9.326	2572	2577	2579	rBV2	299	325	0.01%	0.002%
53	9.439	2607	2612	2615	rBV2	257	269	0.01%	0.002%
54	9.490	2625	2628	2633	rVB2	388	247	0.01%	0.002%
55	9.599	2659	2662	2667	rVB	314	241	0.01%	0.002%
56	9.808	2725	2727	2734	rVB2	282	281	0.01%	0.002%
57	9.882	2742	2750	2758	rBV4	709	1157	0.03%	0.007%
58	9.953	2768	2772	2775	rBV2	393	393	0.01%	0.002%
59	10.159	2823	2836	2858	rVV	312155	482139	11.55%	3.058%
60	10.239	2858	2861	2864	rBV3	369	298	0.01%	0.002%
61	10.259	2864	2867	2870	rVB3	482	311	0.01%	0.002%
62	10.333	2879	2890	2900	rBV2	3613	5810	0.14%	0.037%
63	10.484	2933	2937	2942	rBV2	440	386	0.01%	0.002%
64	10.892	3062	3064	3069	rVB3	393	324	0.01%	0.002%
65	10.924	3069	3074	3080	rBV2	377	503	0.01%	0.003%
66	10.960	3081	3085	3090	rVV2	284	358	0.01%	0.002%
67	10.982	3090	3092	3097	rVB3	268	241	0.01%	0.002%
68	11.130	3133	3138	3144	rBV4	683	766	0.02%	0.005%
69	11.191	3145	3157	3181	rBV	486385	741878	17.78%	4.706%
70	11.390	3215	3219	3221	rBV2	344	286	0.01%	0.002%
71	11.567	3262	3274	3293	rBV	436873	687568	16.47%	4.361%
72	11.869	3365	3368	3375	rBV2	315	337	0.01%	0.002%
73	12.088	3431	3436	3438	rBV3	326	273	0.01%	0.002%
74	12.201	3463	3471	3480	rVB4	1263	2158	0.05%	0.014%
75	12.596	3588	3594	3597	rBV3	671	743	0.02%	0.005%
76	12.654	3608	3612	3616	rBV3	379	398	0.01%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW061523\
 Data File : VW031546.D
 Acq On : 15 Jun 2023 22:19
 Operator : SY/MD
 Sample : 03249-20
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EXYW0

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM061423WMA.M
 Title : VOC Analysis

77	12.927	3694	3697	3700	rBV2	291	231	0.01%	0.001%
78	12.976	3708	3712	3714	rBV	429	308	0.01%	0.002%
79	13.191	3774	3779	3780	rBV	432	298	0.01%	0.002%
80	13.207	3780	3784	3791	rVB4	1356	1491	0.04%	0.009%
81	13.397	3838	3843	3846	rBV	357	270	0.01%	0.002%
82	13.451	3853	3860	3868	rBV5	1904	2871	0.07%	0.018%
83	13.538	3882	3887	3891	rBV4	721	722	0.02%	0.005%
84	13.644	3916	3920	3924	rBV3	243	238	0.01%	0.002%
85	13.693	3929	3935	3941	rVB2	1204	1517	0.04%	0.010%
86	13.770	3955	3959	3962	rBV	392	367	0.01%	0.002%
87	13.860	3983	3987	3991	rVB4	474	410	0.01%	0.003%
88	13.963	4013	4019	4022	rVB4	482	507	0.01%	0.003%
89	13.982	4022	4025	4028	rBV3	646	592	0.01%	0.004%
90	14.040	4040	4043	4045	rBV	390	260	0.01%	0.002%
91	14.120	4065	4068	4070	rBV2	343	244	0.01%	0.002%
92	14.287	4117	4120	4122	rBV2	424	283	0.01%	0.002%
93	14.355	4138	4141	4144	rBV3	300	228	0.01%	0.001%
94	14.709	4247	4251	4253	rBV2	408	307	0.01%	0.002%
95	14.905	4309	4312	4315	rBV3	420	344	0.01%	0.002%
96	15.037	4351	4353	4355	rBV2	453	262	0.01%	0.002%
97	15.094	4367	4371	4373	rBV2	576	405	0.01%	0.003%
98	15.339	4442	4447	4450	rBV4	832	681	0.02%	0.004%
99	15.567	4515	4518	4519	rBV2	546	361	0.01%	0.002%
100	16.152	4697	4700	4702	rBV4	1046	674	0.02%	0.004%

Sum of corrected areas: 15764922

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV061523\
Data File : VV031546.D
Acq On : 15 Jun 2023 22:19
Operator : SY/MD
Sample : 03249-20
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EXYW0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM061423WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV061523\
Data File : VV031546.D
Acq On : 15 Jun 2023 22:19
Operator : SY/MD
Sample : 03249-20
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EXYW0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM061423WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------