

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV061820\
 Data File : VV016968.D
 Acq On : 18 Jun 2020 10:42
 Operator : SY/MD
 Sample : VV0618WBL01
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK89

Quant Time: Jun 19 04:52:48 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060820WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jun 19 04:33:43 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	371288	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	353981	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	180337	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	101227	38.64	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	77.28%
7) Chloroethane-d5	1.58	69	77281	49.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.32%
11) 1,1-Dichloroethene-d2	2.12	63	156544	35.58	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.16%
21) 2-Butanone-d5	3.90	46	169167	87.24	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	87.24%
24) Chloroform-d	4.38	84	235521	44.21	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.42%
26) 1,2-Dichloroethane-d4	5.06	65	171407	47.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.60%
32) Benzene-d6	5.08	84	464936	45.56	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.12%
36) 1,2-Dichloropropane-d6	6.09	67	144867	45.55	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	91.10%
41) Toluene-d8	7.34	98	429627	45.88	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.76%
43) trans-1,3-Dichloropropene-	7.64	79	75838	45.78	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.56%
47) 2-Hexanone-d5	8.11	63	97866	70.57	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	70.57%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	172577	40.99	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	81.98%
64) 1,2-Dichlorobenzene-d4	11.65	152	186259	48.40	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.80%


Target Compounds					Ovalue
25) Chloroform	4.41	83	10779	2.218 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV061820\
Data File : VV016968.D
Acq On : 18 Jun 2020 10:42
Operator : SY/MD
Sample : VV0618WBL01
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK89

Quant Time: Jun 19 04:52:48 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM060820WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jun 19 04:33:43 2020
Response via : Initial Calibration





#25
 Chloroform
 Concen: 2.218 ug/L
 RT: 4.41 min Scan# 1031
 Delta R.T. 0.01 min
 Lab File: VV016968.D
 Acq: 18 Jun 2020 10:42

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK89

Tot Ion: 83 Resp: 10779
 Ion Ratio Lower Upper
 83 100
 85 67.4 44.1 81.9

