

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV061919\  
 Data File : VV011601.D  
 Acq On : 19 Jun 2019 03:44  
 Operator : SY/MD  
 Sample : K3386-14  
 Misc : 25ML/MSVOA V/WATER  
 ALS Vial : 35 Sample Multiplier: 1

Instrument :  
 MSVOA\_V  
 ClientSampleId :  
 COM96

Quant Time: Jun 19 11:24:59 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVTR061419WMA.M  
 Quant Title : TRACE VOA SOM01.0  
 QLast Update : Wed Jun 19 07:50:26 2019  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc | Units | Dev(Min) |
|----------------------------|-------|------|----------|------|-------|----------|
| 1) 1,4-Difluorobenzene     | 5.66  | 114  | 173554   | 5.00 | ug/L  | 0.00     |
| 28) Chlorobenzene-d5       | 8.89  | 117  | 155443   | 5.00 | ug/L  | 0.00     |
| 60) 1,4-Dichlorobenzene-d4 | 11.30 | 152  | 56713    | 5.00 | ug/L  | 0.00     |

## System Monitoring Compounds

|                                |        |       |          |          |      |         |
|--------------------------------|--------|-------|----------|----------|------|---------|
| 4) Vinyl Chloride-d3           | 1.32   | 65    | 40085    | 3.06     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 40 - 130 | Recovery | =    | 61.20%  |
| 7) Chloroethane-d5             | 1.57   | 69    | 30884    | 3.72     | ug/L | -0.01   |
| Spiked Amount                  | 5.000  | Range | 65 - 130 | Recovery | =    | 74.40%  |
| 11) 1,1-Dichloroethene-d2      | 2.12   | 63    | 69568    | 2.79     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 125 | Recovery | =    | 55.80%# |
| 20) 2-Butanone-d5              | 3.95   | 46    | 192014   | 52.08    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 40 - 130 | Recovery | =    | 104.16% |
| 24) Chloroform-d               | 4.40   | 84    | 106445   | 4.22     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 84.40%  |
| 26) 1,2-Dichloroethane-d4      | 5.08   | 65    | 68188    | 4.90     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 98.00%  |
| 32) Benzene-d6                 | 5.09   | 84    | 206846   | 4.46     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 89.20%  |
| 36) 1,2-Dichloropropane-d6     | 6.12   | 67    | 70707    | 4.80     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 140 | Recovery | =    | 96.00%  |
| 41) Toluene-d8                 | 7.36   | 98    | 163576   | 3.96     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 79.20%  |
| 43) trans-1,3-Dichloropropene- | 7.66   | 79    | 17150    | 3.50     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 55 - 130 | Recovery | =    | 70.00%  |
| 46) 2-Hexanone-d5              | 8.14   | 63    | 135887   | 48.07    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 45 - 130 | Recovery | =    | 96.14%  |
| 57) 1,1,2,2-Tetrachloroethane- | 10.26  | 84    | 50543    | 4.58     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 120 | Recovery | =    | 91.60%  |
| 64) 1,2-Dichlorobenzene-d4     | 11.67  | 152   | 54275    | 4.80     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 80 - 120 | Recovery | =    | 96.00%  |

## Target Compounds

|                            |      |    |       |            | Ovalue |
|----------------------------|------|----|-------|------------|--------|
| 13) Acetone                | 2.20 | 43 | 6707  | 2.699 ug/L | 87     |
| 22) cis-1,2-Dichloroethene | 3.96 | 96 | 4997  | 0.361 ug/L | 100    |
| 34) Trichloroethene        | 5.96 | 95 | 89113 | 6.883 ug/L | 99     |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV061919\  
Data File : VV011601.D  
Acq On : 19 Jun 2019 03:44  
Operator : SY/MD  
Sample : K3386-14  
Misc : 25ML/MSVOA V/WATER  
ALS Vial : 35 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
COM96

Quant Time: Jun 19 11:24:59 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVTR061419WMA.M  
Quant Title : TRACE VOA SOM01.0  
QLast Update : Wed Jun 19 07:50:26 2019  
Response via : Initial Calibration

