

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV062024\
 Data File : VV036155.D
 Acq On : 20 Jun 2024 11:29
 Operator : SY/MD
 Sample : P2798-12
 Misc : 5.01g/10.0mL/MSVOA_V/SOIL/B
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Jun 21 01:47:30 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jun 20 05:02:48 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	284993	25.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	297307	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	124913	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.272	65	114054	21.768	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	87.080%		
7) Chloroethane-d5	1.526	69	99297	23.767	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	95.080%		
11) 1,1-Dichloroethene-d2	2.050	65	55749	23.901	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	95.600%		
21) 2-Butanone-d5	3.834	46	13463	11.199	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	22.400%		
24) Chloroform-d	4.243	84	218548	24.121	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	96.480%		
26) 1,2-Dichloroethane-d4	4.940	65	125489	26.416	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	105.680%		
32) Benzene-d6	4.957	84	406549	23.004	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	92.000%		
36) 1,2-Dichloropropane-d6	5.985	67	139152	25.003	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	100.000%		
41) Toluene-d8	7.243	98	327204	20.984	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	83.920%		
43) trans-1,3-Dichloroprop...	7.555	79	52163	22.859	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	91.440%		
47) 2-Hexanone-d5	8.030	63	36115	47.897	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	95.800%		
56) 1,1,2,2-Tetrachloroeth...	10.149	84	117058	28.147	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	112.600%		
66) 1,2-Dichlorobenzene-d4	11.558	152	122660	26.778	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	107.120%		
Target Compounds						Qvalue
10) 1,1,2-Trichloro-1,2,2-...	2.053	101	1999	0.409	ug/L #	36
13) Acetone	2.143	43	3968	2.119	ug/L #	1
16) Methylene chloride	2.442	84	16483	2.556	ug/L	98
25) Chloroform	4.275	83	5556	0.585	ug/L	94
48) 2-Hexanone	8.030	43	5048	2.328	ug/L #	68

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV062024\
Data File : VV036155.D
Acq On : 20 Jun 2024 11:29
Operator : SY/MD
Sample : P2798-12
Misc : 5.01g/10.0mL/MSVOA_V/SOIL/B
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Jun 21 01:47:30 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jun 20 05:02:48 2024
Response via : Initial Calibration

