

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV062219\
 Data File : VV011713.D
 Acq On : 22 Jun 2019 04:14
 Operator : SY/MD
 Sample : K3479-08
 Misc : 25ML/MSVOA V/WATER
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 YAP05

Quant Time: Jun 24 07:25:48 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR062119WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Mon Jun 24 05:42:24 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	173037	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	163122	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	68047	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	43203	3.76	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	75.20%
7) Chloroethane-d5	1.58	69	38575	4.78	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	95.60%
11) 1,1-Dichloroethene-d2	2.12	63	69610	2.98	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	59.60%#
20) 2-Butanone-d5	3.97	46	170169	56.25	ug/L	0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	112.50%
24) Chloroform-d	4.40	84	94814	4.52	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.40%
26) 1,2-Dichloroethane-d4	5.08	65	61568	4.89	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.80%
32) Benzene-d6	5.09	84	203818	4.48	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.60%
36) 1,2-Dichloropropane-d6	6.12	67	64539	4.61	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	92.20%
41) Toluene-d8	7.36	98	168560	4.09	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	81.80%
43) trans-1,3-Dichloropropene-	7.66	79	18047	3.69	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	73.80%
46) 2-Hexanone-d5	8.14	63	130774	56.91	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	113.82%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	49461	5.07	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	101.40%
64) 1,2-Dichlorobenzene-d4	11.67	152	62595	4.88	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	97.60%


Target Compounds					Ovalue
13) Acetone	2.23	43	7921	3.625 ug/L	80
33) Benzene	5.15	78	7065	0.131 ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV062219\
Data File : VV011713.D
Acq On : 22 Jun 2019 04:14
Operator : SY/MD
Sample : K3479-08
Misc : 25ML/MSVOA V/WATER
ALS Vial : 44 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
YAP05

Quant Time: Jun 24 07:25:48 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR062119WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Jun 24 05:42:24 2019
Response via : Initial Calibration





#13

Acetone

Concen: 3.625 ug/L

RT: 2.23 min Scan# 354

Delta R.T. 0.03 min

Lab File: VV011713.D

Acq: 22 Jun 2019 04:14

Instrument :

MSVOA_V

ClientSampleId :





YAP05

Tot Ion: 43 Resp: 7921

Ion Ratio Lower Upper

43 100

58 17.7 0.0 56.6



#33

Benzene

Concen: 0.131 ug/L

RT: 5.15 min Scan# 1262

Delta R.T. 0.01 min

Lab File: VV011713.D

Acq: 22 Jun 2019 04:14

Tgt Ion: 78 Resp: 7065

