

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV062320\
 Data File : VV017064.D
 Acq On : 23 Jun 2020 19:21
 Operator : SY/MD
 Sample : L3093-04
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 ETTN3

Quant Time: Jun 24 07:41:07 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR061720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Jun 24 05:01:54 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	168925	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	165950	5.00	ug/L	0.00
61) 1,4-Dichlorobenzene-d4	11.27	152	78092	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	48801	4.81	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	96.20%
7) Chloroethane-d5	1.58	69	33158	4.50	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	90.00%
11) 1,1-Dichloroethene-d2	2.12	63	65169	3.38	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	67.60%
20) 2-Butanone-d5	3.92	46	127558	49.37	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	98.74%
24) Chloroform-d	4.38	84	97594	4.50	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.00%
26) 1,2-Dichloroethane-d4	5.06	65	57670	5.02	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.40%
32) Benzene-d6	5.07	84	196848	4.57	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.40%
36) 1,2-Dichloropropane-d6	6.10	67	59914	4.65	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	93.00%
41) Toluene-d8	7.34	98	180539	4.47	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.40%
45) trans-1,3-Dichloropropene-	7.64	79	22502	4.19	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	83.80%
48) 2-Hexanone-d5	8.11	63	82287	40.23	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	80.46%
59) 1,1,2,2-Tetrachloroethane-	10.24	84	41226	4.81	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	96.20%
65) 1,2-Dichlorobenzene-d4	11.65	152	74692	5.17	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	103.40%

Target Compounds

					Ovalue
5) Vinyl chloride	1.32	62	852783	76.933	ug/L 99
19) 1,1-Dichloroethane	3.21	63	3670	0.190	ug/L 88
22) cis-1,2-Dichloroethene	3.94	96	251735	21.427	ug/L 98
25) Chloroform	4.41	83	10150	0.481	ug/L 85
34) Trichloroethene	5.94	95	13410	1.054	ug/L 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV062320\
Data File : VV017064.D
Acq On : 23 Jun 2020 19:21
Operator : SY/MD
Sample : L3093-04
Misc : 25.0mL/MSVOA V/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
ETTN3

Quant Time: Jun 24 07:41:07 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR061720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Jun 24 05:01:54 2020
Response via : Initial Calibration

