

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW062424\
 Data File : VW036245.D
 Acq On : 24 Jun 2024 14:51
 Operator : SY/MD
 Sample : P2987-15RE
 Misc : 6.06g/10.0mL/MSVOA_V/SOIL/B
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0TA4RE

Quant Time: Jun 25 04:58:11 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jun 25 04:55:15 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.529	114	713141	25.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	704203	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	308955	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.272	65	174816	13.333	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	53.320%
7) Chloroethane-d5	1.526	69	148628	14.217	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	56.880%
11) 1,1-Dichloroethene-d2	2.050	65	82844	14.194	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	56.760%
21) 2-Butanone-d5	3.841	46	43709	14.530	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	29.060%
24) Chloroform-d	4.243	84	311282	13.730	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	54.920%
26) 1,2-Dichloroethane-d4	4.937	65	162042	13.632	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	54.520%#
32) Benzene-d6	4.953	84	614863	14.689	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	58.760%
36) 1,2-Dichloropropane-d6	5.985	67	195131	14.803	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	59.200%#
41) Toluene-d8	7.239	98	527576	14.284	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	57.120%
43) trans-1,3-Dichloroprop...	7.551	79	71879	13.299	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	53.200%
47) 2-Hexanone-d5	8.030	63	38859	21.758	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	43.520%
56) 1,1,2,2-Tetrachloroeth...	10.152	84	134495	13.654	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	54.600%
66) 1,2-Dichlorobenzene-d4	11.558	152	188613	16.648	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	66.600%#
Target Compounds						
20) cis-1,2-Dichloroethene	3.818	96	4513	0.370	ug/L	Qvalue 91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV062424\
Data File : VV036245.D
Acq On : 24 Jun 2024 14:51
Operator : SY/MD
Sample : P2987-15RE
Misc : 6.06g/10.0mL/MSVOA_V/SOIL/B
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0TA4RE

Quant Time: Jun 25 04:58:11 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM053024SMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jun 25 04:55:15 2024
Response via : Initial Calibration





#20
 cis-1,2-Dichloroethene
 Concen: 0.370 ug/L
 RT: 3.818 min Scan# 80
 Delta R.T. 0.010 min
 Lab File: VV036245.D
 Acq: 24 Jun 2024 14:51

Instrument :
 MSVOA_V
 ClientSampleId :
 C0TA4RE

Tgt Ion: 96 Resp: 4513

Ion	Ratio	Lower	Upper
96	100		
61	132.5	87.9	163.3
98	74.6	44.4	82.5

