

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV063020\
 Data File : VV017266.D
 Acq On : 30 Jun 2020 17:34
 Operator : SY/MD
 Sample : L3168-04
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AH9

Quant Time: Jul 01 06:48:39 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR061720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Jul 01 06:00:36 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	162212	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	157506	5.00	ug/L	0.00
61) 1,4-Dichlorobenzene-d4	11.27	152	75459	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	46177	4.74	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	94.80%
7) Chloroethane-d5	1.58	69	38507	5.44	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	108.80%
11) 1,1-Dichloroethene-d2	2.13	63	68164	3.68	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	73.60%
20) 2-Butanone-d5	3.92	46	121570	49.00	ug/L	-0.03
Spiked Amount	50.000	Range	40 - 130	Recovery	=	98.00%
24) Chloroform-d	4.38	84	106855	5.13	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.60%
26) 1,2-Dichloroethane-d4	5.06	65	57933	5.25	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	105.00%
32) Benzene-d6	5.08	84	193479	4.74	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.80%
36) 1,2-Dichloropropane-d6	6.10	67	56447	4.61	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	92.20%
41) Toluene-d8	7.34	98	166768	4.35	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.00%
45) trans-1,3-Dichloropropene-	7.64	79	23502	4.61	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	92.20%
48) 2-Hexanone-d5	8.11	63	83661	43.10	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	86.20%
59) 1,1,2,2-Tetrachloroethane-	10.24	84	39656	4.88	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	97.60%
65) 1,2-Dichlorobenzene-d4	11.65	152	70245	5.04	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	100.80%


Target Compounds					Ovalue
49) Tetrachloroethene	8.00	164	369456	38.003 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV063020\
Data File : VV017266.D
Acq On : 30 Jun 2020 17:34
Operator : SY/MD
Sample : L3168-04
Misc : 25.0mL/MSVOA V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AH9

Quant Time: Jul 01 06:48:39 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR061720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Jul 01 06:00:36 2020
Response via : Initial Calibration





#49

Tetrachloroethene

Concen: 38.003 ug/L

RT: 8.00 min Scan# 2148

Delta R.T. 0.00 min

Lab File: VV017266.D


Acq: 30 Jun 2020 17:34

Instrument :

MSVOA_V

ClientSampleId :

C0AH9



Tot Ion:164 Resp: 369456

Ion Ratio Lower Upper

164 100

129 93.2 65.2 121.0

131 90.5 64.1 119.1

166 125.4 90.2 167.4

Abundance Ion 163.90 (163.60 to 164.60): V

Ion 128.95 (128.65 to 129.65): V

Ion 130.95 (130.65 to 131.65): V

Ion 165.90 (165.60 to 166.60): V

