

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW070122\
 Data File : VW026626.D
 Acq On : 01 Jul 2022 13:51
 Operator : SY/MD
 Sample : N3506-08
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AM4

Quant Time: Jul 04 02:04:10 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR062322WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Jul 04 02:01:03 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.625	114	200801	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.853	117	190727	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	79566	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.320	65	56784	3.516	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	70.400%	
7) Chloroethane-d5	1.584	69	52912	4.079	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	81.600%	
11) 1,1-Dichloroethene-d2	2.121	63	80835	2.817	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	56.400%#	
20) 2-Butanone-d5	3.918	46	93872	58.469	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	116.940%	
24) Chloroform-d	4.365	84	124636	4.721	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	94.400%	
26) 1,2-Dichloroethane-d4	5.043	65	50756	4.992	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	99.800%	
32) Benzene-d6	5.063	84	225744	4.121	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	82.400%	
36) 1,2-Dichloropropane-d6	6.079	67	70628	4.688	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	93.800%	
41) Toluene-d8	7.320	98	173175	3.515	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	70.400%	
43) trans-1,3-Dichloroprop...	7.632	79	17209	4.419	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	88.400%	
46) 2-Hexanone-d5	8.095	63	72249	48.711	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	97.420%	
56) 1,1,2,2-Tetrachloroeth...	10.217	84	49965	5.070	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	101.400%	
66) 1,2-Dichlorobenzene-d4	11.625	152	63530	4.825	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	96.400%	
Target Compounds						Qvalue
14) Carbon disulfide	2.307	76	5305	0.148	ug/L #	92
25) Chloroform	4.391	83	45113	1.697	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV070122\
Data File : VV026626.D
Acq On : 01 Jul 2022 13:51
Operator : SY/MD
Sample : N3506-08
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AM4

Quant Time: Jul 04 02:04:10 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR062322WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Mon Jul 04 02:01:03 2022
Response via : Initial Calibration

